

Zestawienie tabelaryczne wykonanych punktów badawczych - Otwory hydrogeologiczne

| L.P. | NAZWA OTWORU | 2000/5 | | Rzędna | Głębokość wiercenia |
|------|--------------|------------|------------|--------|---------------------|
| | | X | Y | H | |
| 1 | 1W | 5904043.11 | 5467087.26 | 6,49 | 4,00 |
| 2 | 2W | 5903224,59 | 5467411,98 | 26,90 | 5,00 |
| 3 | 3W | 5901988,50 | 5467850,50 | 33,21 | 15,00 |
| 4 | 4W | 5900996,48 | 5467066,39 | 33,10 | 4,00 |
| 5 | 4W' | 5900982.92 | 5467073.61 | 32,61 | 4,00 |
| 6 | 5W | 5900406,78 | 5466731,13 | 30,80 | 15,00 |
| 7 | 6W | 5899471,18 | 5466456,38 | 2,44 | 2,10 |
| 8 | 1G | 5904242,65 | 5467073,75 | 7,44 | 4,00 |
| 9 | 2G | 5902959.66 | 5467661.59 | 31,52 | 4,00 |
| 10 | 3G | 5901074.69 | 5467129.74 | 38,22 | 4,00 |
| 11 | 4G | 5899578,93 | 5466324,49 | 12,58 | 4,00 |

65,10

Sumaryczne zestawienie wykonanych badań

| | liczba wykonanych badań | metraż [mb] | wartość minimalna | wartość maksymalna |
|------------------|-------------------------|-------------|-------------------|--------------------|
| otwory wiercyjne | 11 | 65,10 | 2,10 | 15,00 |

Zestawienie tabelaryczne wykonanych punktów badawczych - TRASA

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| | | X | Y | H | | [mb] | | | |
| 1 | 0+000/O | 5904259,31 | 5467073,86 | 7,67 | 3,00 | 3,00 | - | - | C |
| 2 | 0+050/P | 5904210,04 | 5467071,98 | 7,17 | 3,00 | 3,00 | - | - | C |
| 3 | 0+050/L | 5904209,96 | 5467079,90 | 7,06 | 3,00 | - | - | - | C |
| 4 | 0+100/P | 5904162,49 | 5467075,17 | 7,56 | 3,00 | - | - | - | C |
| 5 | 0+100/L | 5904163,18 | 5467083,14 | 8,20 | 3,00 | 3,00 | - | - | C |
| 6 | 0+150/P | 5904112,61 | 5467078,55 | 7,85 | 3,00 | 3,00 | 2,50 | - | C |
| 7 | 0+150/L | 5904113,30 | 5467086,52 | 7,90 | 3,00 | - | - | - | C |
| 8 | 0+200/P | 5904062,72 | 5467081,93 | 6,85 | 3,00 | - | - | - | C |
| 9 | 0+200/L | 5904063,41 | 5467089,90 | 6,40 | 5,00 | 5,00 | 3,00 | - | C |
| 10 | 0+250/P | 5904012,83 | 5467085,34 | 7,10 | 9,00 | 2,50 | 6,50 | - | A |
| 11 | 0+250/L | 5904013,54 | 5467093,31 | 6,95 | 9,00 | - | - | - | B |
| 12 | 0+300/P | 5903962,92 | 5467089,16 | 8,25 | 7,00 | - | 6,00 | - | A |
| 13 | 0+300/L | 5903963,74 | 5467097,12 | 8,50 | 3,00 | - | - | - | B |
| 14 | 0+350/P | 5903913,05 | 5467094,02 | 9,20 | 4,00 | - | - | - | B |
| 15 | 0+350/L | 5903914,08 | 5467101,95 | 9,80 | 4,00 | 2,00 | 4,00 | - | B |
| 16 | 0+400/P | 5903863,47 | 5467100,43 | 9,21 | 5,50 | 5,50 | 3,00 | - | C |
| 17 | 0+400/L | 5903864,63 | 5467108,35 | 9,30 | 5,00 | - | - | - | C |
| 18 | 0+500/P | 5903764,84 | 5467119,58 | 12,95 | 4,00 | - | - | - | B |
| 19 | 0+500/L | 5903766,84 | 5467127,33 | 13,65 | 4,00 | 4,00 | - | - | B |
| 20 | 0+550/P | 5903716,36 | 5467132,16 | 14,75 | 4,00 | 4,00 | - | - | B |
| 21 | 0+550/L | 5903718,58 | 5467139,85 | 14,90 | 4,00 | - | - | - | B |
| 22 | 0+600/P | 5903668,30 | 5467146,79 | 19,50 | 3,00 | - | - | - | B |
| 23 | 0+600/L | 5903670,93 | 5467154,35 | 19,80 | 3,00 | 3,00 | - | - | B |
| 24 | 0+650/P | 5903623,09 | 5467162,52 | 23,28 | 6,00 | 6,00 | - | - | B |
| 25 | 0+650/L | 5903625,14 | 5467170,37 | 23,83 | 6,00 | - | - | - | B |
| 26 | 0+700/P | 5903574,36 | 5467181,95 | 25,50 | 6,00 | - | - | - | B |
| 27 | 0+700/L | 5903577,61 | 5467189,26 | 26,05 | 6,00 | 6,00 | - | - | B |
| 28 | 0+750/P | 5903528,93 | 5467201,92 | 25,23 | 5,00 | 5,00 | - | - | C |
| 29 | 0+750/L | 5903532,12 | 5467209,68 | 25,33 | 5,00 | - | - | - | C |
| 30 | 0+800/P | 5903483,67 | 5467224,80 | 27,25 | 5,00 | - | - | - | A |
| 31 | 0+800/L | 5903487,51 | 5467231,81 | 27,50 | 5,00 | 5,00 | 3,00 | - | B |
| 32 | 0+850/P | 5903439,80 | 5467248,98 | 28,85 | 6,00 | 6,00 | 1,00 | - | B |
| 33 | 0+850/L | 5903443,81 | 5467255,90 | 29,15 | 6,00 | - | - | - | B |
| 34 | 0+900/P | 5903396,86 | 5467275,05 | 28,25 | 4,00 | - | - | - | B |
| 35 | 0+900/L | 5903401,28 | 5467281,72 | 28,20 | 4,00 | 4,00 | 2,50 | - | A |
| 36 | 0+950/P | 5903355,16 | 5467302,80 | 27,75 | 4,00 | 4,00 | - | - | B |
| 37 | 0+950/L | 5903359,73 | 5467309,36 | 27,85 | 4,00 | - | - | - | B |
| 38 | 1+000/P | 5903314,53 | 5467332,35 | 28,15 | 4,00 | - | - | - | B |
| 39 | 1+000/L | 5903319,49 | 5467338,63 | 28,30 | 4,00 | 4,00 | - | - | B |
| 40 | 1+050/P | 5903275,27 | 5467363,43 | 28,35 | 4,00 | 4,00 | - | - | B |
| 41 | 1+050/L | 5903280,35 | 5467369,61 | 28,30 | 4,00 | - | 2,00 | - | B |
| 42 | 1+100/P | 5903236,97 | 5467395,85 | 27,00 | 3,00 | - | - | - | C |
| 43 | 1+100/L | 5903242,77 | 5467401,86 | 26,74 | 3,00 | 3,00 | - | - | B |
| 44 | 1+150/P | 5903199,48 | 5467428,90 | 26,70 | 3,00 | 3,00 | - | - | B |
| 45 | 1+150/L | 5903204,80 | 5467434,87 | 26,55 | 3,00 | - | - | - | B |
| 46 | 1+200/P | 5903162,18 | 5467462,33 | 26,52 | 3,00 | - | - | - | B |
| 47 | 1+200/L | 5903167,63 | 5467468,19 | 26,70 | 3,00 | 3,00 | - | - | B |
| 48 | 1+300/P | 5903087,75 | 5467529,11 | 26,60 | 3,00 | - | - | - | B |
| 49 | 1+300/L | 5903093,20 | 5467534,97 | 26,70 | 3,00 | 3,00 | 3,00 | - | B |
| 50 | 1+350/P | 5903050,66 | 5467562,36 | 28,40 | 3,00 | 1,00 | 3,00 | - | B |
| 51 | 1+350/L | 5903056,03 | 5467568,29 | 28,30 | 3,00 | - | - | - | B |
| 52 | 1+400/P | 5903015,44 | 5467599,43 | 29,60 | 3,00 | - | - | - | B |
| 53 | 1+400/L | 5903022,95 | 5467604,00 | 29,45 | 3,00 | 3,00 | - | - | B |
| 54 | 1+450/O | 5902993,50 | 5467644,50 | 30,40 | 3,00 | - | 1,50 | - | A |
| 55 | 1+500/O | 5902954,00 | 5467662,53 | 31,70 | 3,00 | - | - | - | B |
| 56 | 1+550/P | 5902905,23 | 5467676,01 | 32,60 | 4,00 | - | - | - | B |
| 57 | 1+550/L | 5902909,70 | 5467682,65 | 32,95 | 4,00 | - | 1,00 | - | B |

Zestawienie tabelaryczne wykonanych punktów badawczych - TRASA

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| | | X | Y | | | H | [mb] | | |
| 58 | 1+600/P | 5902863,13 | 5467702,51 | 31,40 | 5,50 | 2,00 | 5,00 | - | B |
| 59 | 1+600/L | 5902867,31 | 5467709,32 | 32,05 | 4,50 | - | - | - | B |
| 60 | 1+650/P | 5902819,70 | 5467727,38 | 30,00 | 3,00 | 3,00 | - | - | B |
| 61 | 1+650/L | 5902823,89 | 5467734,20 | 30,20 | 3,00 | - | - | - | B |
| 62 | 1+700/P | 5902775,66 | 5467750,24 | 30,10 | 6,50 | 2,00 | 6,00 | - | B |
| 63 | 1+700/L | 5902779,23 | 5467757,45 | 30,20 | 6,50 | - | - | - | B |
| 64 | 1+750/P | 5902730,52 | 5467771,34 | 30,65 | 4,00 | 4,00 | 3,00 | - | B |
| 65 | 1+750/L | 5902733,68 | 5467778,69 | 30,90 | 4,00 | - | - | - | B |
| 66 | 1+800/P | 5902684,52 | 5467790,52 | 32,35 | 5,00 | - | 4,50 | - | B |
| 67 | 1+800/L | 5902687,48 | 5467798,02 | 32,85 | 5,00 | - | - | - | B |
| 68 | 1+850/P | 5902637,81 | 5467807,84 | 31,15 | 4,00 | - | - | - | A |
| 69 | 1+850/L | 5902640,49 | 5467815,37 | 31,55 | 6,00 | - | 6,00 | - | B |
| 70 | 1+900/P | 5902590,47 | 5467822,61 | 29,18 | 3,00 | 3,00 | - | - | C |
| 71 | 1+900/L | 5902592,67 | 5467830,84 | 29,28 | 3,00 | - | - | - | C |
| 72 | 1+990/P | 5902504,14 | 5467846,01 | 29,77 | 3,00 | - | - | - | B |
| 73 | 1+990/L | 5902505,27 | 5467853,87 | 29,81 | 3,00 | 3,00 | - | - | B |
| 74 | 2+040/P | 5902454,74 | 5467855,50 | 29,65 | 4,00 | - | - | - | B |
| 75 | 2+040/L | 5902456,14 | 5467863,38 | 29,75 | 4,00 | 4,00 | 1,00 | - | B |
| 76 | 2+150/P | 5902346,07 | 5467869,74 | 29,65 | 6,00 | 5,00 | - | - | B |
| 77 | 2+150/L | 5902346,84 | 5467877,71 | 29,85 | 6,00 | - | - | - | B |
| 78 | 2+200/P | 5902296,48 | 5467872,91 | 32,60 | 4,00 | 3,00 | 4,00 | - | B |
| 79 | 2+200/L | 5902296,70 | 5467880,85 | 32,75 | 4,00 | - | - | - | B |
| 80 | 2+250/P | 5902246,50 | 5467874,03 | 33,45 | 4,00 | 2,50 | 4,00 | - | B |
| 81 | 2+250/L | 5902246,57 | 5467882,03 | 33,40 | 4,00 | - | - | - | B |
| 82 | 2+300/P | 5902196,56 | 5467873,12 | 36,95 | 4,00 | - | - | - | B |
| 83 | 2+300/L | 5902196,30 | 5467881,12 | 36,70 | 4,00 | 4,00 | 4,00 | - | B |
| 84 | 2+350/P | 5902146,81 | 5467870,51 | 37,47 | 4,00 | 2,50 | 4,00 | - | B |
| 85 | 2+350/L | 5902146,31 | 5467878,03 | 36,80 | 4,00 | - | - | - | B |
| 86 | 2+400/P | 5902097,75 | 5467864,56 | 37,22 | 5,00 | - | - | - | B |
| 87 | 2+400/L | 5902096,64 | 5467872,67 | 37,53 | 5,00 | 2,50 | 5,00 | - | B |
| 88 | 2+450/P | 5902048,04 | 5467857,67 | 36,14 | 4,00 | 4,00 | - | - | B |
| 89 | 2+450/L | 5902047,03 | 5467865,56 | 36,78 | 4,00 | - | - | - | B |
| 90 | 2+500/P | 5901999,04 | 5467848,66 | 33,23 | 3,00 | - | - | - | B |
| 91 | 2+500/L | 5901997,22 | 5467855,92 | 33,87 | 3,00 | 3,00 | 3,00 | - | B |
| 92 | 2+550/P | 5901953,05 | 5467837,85 | 35,07 | 3,00 | - | - | - | C |
| 93 | 2+550/L | 5901950,63 | 5467845,69 | 34,44 | 3,00 | - | 1,00 | - | C |
| 94 | 2+600/P | 5901902,12 | 5467823,95 | 34,92 | 3,00 | 3,00 | - | - | C |
| 95 | 2+600/L | 5901900,29 | 5467831,48 | 35,18 | 3,00 | - | - | - | C |
| 96 | 2+650/P | 5901855,16 | 5467809,18 | 35,96 | 5,00 | - | - | - | B |
| 97 | 2+650/L | 5901852,37 | 5467816,80 | 36,11 | 5,00 | 3,00 | 5,00 | - | B |
| 98 | 2+700/P | 5901808,25 | 5467791,78 | 37,80 | 7,00 | 4,50 | 7,00 | - | B |
| 99 | 2+700/L | 5901805,13 | 5467799,93 | 38,19 | 7,00 | - | - | - | B |
| 100 | 2+750/P | 5901762,01 | 5467772,53 | 38,80 | 7,00 | - | - | - | B |
| 101 | 2+750/L | 5901759,05 | 5467780,16 | 38,91 | 7,00 | - | - | - | B |
| 102 | 2+800/P | 5901716,99 | 5467751,89 | 39,77 | 8,00 | - | - | - | B |
| 103 | 2+800/L | 5901713,74 | 5467759,01 | 39,61 | 8,00 | 6,50 | 8,00 | - | B |
| 104 | 2+850/P | 5901671,90 | 5467729,50 | 39,69 | 7,00 | - | - | - | B |
| 105 | 2+850/L | 5901668,80 | 5467736,17 | 39,40 | 7,00 | 5,70 | - | - | B |
| 106 | 2+900/P | 5901629,45 | 5467704,28 | 39,15 | 7,00 | 5,50 | 7,00 | - | B |
| 107 | 2+900/L | 5901625,14 | 5467711,35 | 39,15 | 7,00 | - | - | - | B |
| 108 | 2+950/P | 5901585,98 | 5467677,25 | 38,63 | 6,00 | - | - | - | B |
| 109 | 2+950/L | 5901582,64 | 5467684,71 | 38,65 | 6,00 | 3,50 | 6,00 | - | B |
| 110 | 3+050/P | 5901506,05 | 5467620,06 | 36,36 | 4,00 | 2,00 | - | - | B |
| 111 | 3+050/L | 5901501,70 | 5467625,77 | 36,57 | 3,00 | - | - | - | B |
| 112 | 3+150/P | 5901430,18 | 5467555,64 | 34,00 | 4,00 | - | - | - | B |
| 113 | 3+150/L | 5901424,44 | 5467561,62 | 34,41 | 4,00 | 4,00 | - | - | B |

Zestawienie tabelaryczne wykonanych punktów badawczych - TRASA

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| | | X | Y | H | | [mb] | | | |
| 114 | 3+250/P | 5901359,93 | 5467485,10 | 35,83 | 3,00 | - | - | - | C |
| 115 | 3+250/L | 5901353,73 | 5467490,47 | 35,58 | 3,00 | 2,00 | - | - | C |
| 116 | 3+300/P | 5901326,50 | 5467447,69 | 37,45 | 3,00 | 3,00 | 1,50 | - | C |
| 117 | 3+300/L | 5901320,63 | 5467453,18 | 37,10 | 3,00 | - | - | - | C |
| 118 | 3+350/P | 5901294,41 | 5467409,71 | 37,64 | 3,00 | - | - | - | B |
| 119 | 3+350/L | 5901288,73 | 5467414,99 | 37,78 | 3,00 | 3,00 | - | - | B |
| 120 | 3+400/P | 5901262,52 | 5467370,91 | 36,40 | 3,00 | 3,00 | - | - | C |
| 121 | 3+400/L | 5901256,45 | 5467376,09 | 36,82 | 3,00 | - | - | - | C |
| 122 | 3+450/P | 5901231,02 | 5467332,33 | 36,80 | 3,00 | 3,00 | - | - | C |
| 123 | 3+450/L | 5901224,82 | 5467337,49 | 36,77 | 3,00 | - | - | - | C |
| 124 | 3+500/P | 5901199,64 | 5467293,87 | 39,64 | 4,00 | - | - | - | C |
| 125 | 3+500/L | 5901193,08 | 5467299,06 | 39,51 | 4,00 | 2,00 | 2,00 | - | C |
| 126 | 3+550/P | 5901167,05 | 5467253,91 | 38,67 | 3,00 | 3,00 | - | - | C |
| 127 | 3+550/L | 5901162,60 | 5467259,57 | 38,69 | 3,00 | - | - | - | C |
| 128 | 3+600/P | 5901137,83 | 5467215,50 | 38,65 | 3,00 | - | - | - | B |
| 129 | 3+600/L | 5901131,06 | 5467219,78 | 38,20 | 3,00 | 2,00 | 2,00 | - | B |
| 130 | 3+650/O | 5901112,06 | 5467173,03 | 39,90 | 3,00 | 2,00 | - | - | B |
| 131 | 3+700/P | 5901080,90 | 5467134,09 | 38,30 | 3,00 | - | - | - | B |
| 132 | 3+700/L | 5901074,48 | 5467141,40 | 38,65 | 3,00 | 1,80 | - | - | B |
| 133 | 3+750/P | 5901043,10 | 5467101,74 | 35,05 | 3,00 | 3,00 | - | - | C |
| 134 | 3+750/L | 5901037,46 | 5467107,42 | 35,65 | 3,00 | - | - | - | C |
| 135 | 3+800/P | 5901009,31 | 5467065,09 | 33,65 | 4,00 | 2,50 | 3,50 | - | C |
| 136 | 3+800/L | 5901003,48 | 5467070,56 | 33,60 | 4,00 | - | - | - | C |
| 137 | 3+850/P | 5900974,13 | 5467029,30 | 31,70 | 4,00 | - | - | - | C |
| 138 | 3+850/L | 5900968,56 | 5467035,04 | 32,15 | 4,00 | 4,00 | 2,00 | - | C |
| 139 | 3+900/P | 5900937,37 | 5466995,15 | 32,55 | 3,00 | 3,00 | 1,50 | - | C |
| 140 | 3+900/L | 5900932,06 | 5467001,14 | 33,40 | 3,00 | - | - | - | C |
| 141 | 3+950/P | 5900899,09 | 5466962,71 | 33,40 | 3,00 | 2,00 | 3,00 | - | C |
| 142 | 3+950/L | 5900894,06 | 5466968,93 | 33,90 | 3,00 | - | - | - | C |
| 143 | 4+000/P | 5900859,38 | 5466932,04 | 36,35 | 5,00 | - | - | - | B |
| 144 | 4+000/L | 5900854,63 | 5466938,48 | 36,35 | 5,00 | 5,00 | 5,00 | - | B |
| 145 | 4+050/P | 5900818,31 | 5466903,20 | 33,00 | 5,00 | 2,50 | 5,00 | - | B |
| 146 | 4+050/L | 5900813,87 | 5466909,85 | 33,10 | 5,00 | - | - | - | B |
| 147 | 4+100/P | 5900775,98 | 5466876,26 | 32,10 | 3,00 | 1,50 | - | - | C |
| 148 | 4+100/L | 5900771,84 | 5466883,11 | 32,30 | 3,50 | - | - | - | C |
| 149 | 4+150/P | 5900732,47 | 5466851,28 | 31,20 | 3,00 | - | - | - | C |
| 150 | 4+150/L | 5900728,64 | 5466858,30 | 32,10 | 3,00 | 1,50 | 3,00 | - | C |
| 151 | 4+200/P | 5900687,86 | 5466828,29 | 33,10 | 4,00 | 2,00 | - | - | C |
| 152 | 4+200/L | 5900684,36 | 5466835,49 | 34,20 | 4,00 | - | - | - | C |
| 153 | 4+250/P | 5900642,26 | 5466807,36 | 33,75 | 5,00 | 1,50 | - | - | B |
| 154 | 4+250/L | 5900639,09 | 5466814,70 | 34,50 | 5,00 | - | 1,50 | - | B |
| 155 | 4+300/P | 5900595,76 | 5466788,52 | 33,80 | 5,00 | 1,50 | - | - | C |
| 156 | 4+300/L | 5900592,92 | 5466796,00 | 34,35 | 5,00 | - | - | - | C |
| 157 | 4+350/P | 5900548,56 | 5466771,60 | 32,55 | 4,00 | - | - | - | C |
| 158 | 4+350/L | 5900545,99 | 5466779,17 | 33,25 | 4,00 | 2,00 | - | - | C |
| 159 | 4+400/P | 5900500,96 | 5466756,03 | 31,20 | 3,00 | 3,00 | 2,50 | - | C |
| 160 | 4+400/L | 5900498,55 | 5466763,65 | 32,20 | 3,00 | - | - | - | C |
| 161 | 4+450/P | 5900453,18 | 5466741,18 | 30,85 | 3,00 | - | - | - | C |
| 162 | 4+450/L | 5900450,83 | 5466748,83 | 31,75 | 3,00 | 3,00 | 2,50 | - | C |
| 163 | 4+500/P | 5900405,39 | 5466726,48 | 30,50 | 3,00 | 3,00 | - | - | C |
| 164 | 4+500/L | 5900403,04 | 5466734,13 | 30,90 | 3,00 | - | - | - | C |
| 165 | 4+550/P | 5900357,60 | 5466711,79 | 33,00 | 5,00 | - | - | - | B |
| 166 | 4+550/L | 5900355,25 | 5466719,43 | 32,40 | 5,00 | 5,00 | 4,50 | - | B |
| 167 | 4+600/P | 5900309,89 | 5466697,12 | 31,60 | 5,00 | - | - | - | B |
| 168 | 4+600/L | 5900307,40 | 5466704,72 | 32,70 | 5,00 | 2,50 | 5,00 | - | B |
| 169 | 4+650/P | 5900262,02 | 5466682,40 | 31,95 | 6,00 | - | - | - | B |

Zestawienie tabelaryczne wykonanych punktów badawczych - TRASA

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| | | X | Y | H | | [mb] | | | |
| 170 | 4+650/L | 5900259,66 | 5466690,04 | 32,75 | 6,00 | 6,00 | 4,00 | - | B |
| 171 | 4+700/P | 5900214,28 | 5466667,60 | 33,10 | 7,00 | 7,00 | 2,50 | - | B |
| 172 | 4+700/L | 5900211,88 | 5466675,16 | 33,25 | 7,50 | - | - | - | B |
| 173 | 4+750/P1 | 5900166,74 | 5466652,31 | 38,15 | 12,00 | - | - | - | B |
| 174 | 4+750/L1 | 5900164,16 | 5466659,88 | 37,95 | 12,00 | - | - | - | B |
| 175 | 4+750/P2 | 5900169,33 | 5466644,73 | 37,75 | 12,00 | - | - | - | B |
| 176 | 4+750/L2 | 5900161,57 | 5466667,45 | 37,45 | 12,00 | - | - | - | B |
| 177 | 4+800/P | 5900119,57 | 5466636,05 | 32,60 | 8,00 | 8,00 | 3,00 | - | B |
| 178 | 4+800/L | 5900116,86 | 5466643,57 | 33,30 | 8,00 | - | - | - | B |
| 179 | 4+850/P | 5900072,93 | 5466618,39 | 29,45 | 5,00 | - | - | - | B |
| 180 | 4+850/L | 5900069,98 | 5466625,83 | 29,90 | 5,00 | 5,00 | - | - | B |
| 181 | 4+900/P | 5900026,91 | 5466599,20 | 29,70 | 6,00 | 6,00 | 2,00 | - | B |
| 182 | 4+900/L | 5900023,71 | 5466606,53 | 29,95 | 6,00 | - | - | - | B |
| 183 | 4+950/P | 5899981,19 | 5466578,39 | 25,20 | 3,00 | - | - | - | B |
| 184 | 4+950/L | 5899978,11 | 5466585,70 | 25,30 | 3,00 | 3,00 | - | - | B |
| 185 | 5+000/P | 5899936,91 | 5466556,27 | 20,95 | 4,00 | 4,00 | - | - | B |
| 186 | 5+000/L | 5899933,23 | 5466563,37 | 21,15 | 4,00 | - | - | - | B |
| 187 | 5+050/P | 5899893,04 | 5466532,57 | 24,65 | 5,00 | 2,00 | - | - | B |
| 188 | 5+050/L | 5899889,12 | 5466539,55 | 23,90 | 5,00 | 5,00 | 3,50 | - | B |
| 189 | 5+100/P | 5899849,97 | 5466507,43 | 21,75 | 4,00 | 4,00 | - | - | B |
| 190 | 5+100/L | 5899845,82 | 5466514,27 | 21,40 | 4,00 | - | - | - | B |
| 191 | 5+150/P | 5899807,77 | 5466480,87 | 19,55 | 4,00 | - | - | - | B |
| 192 | 5+150/L | 5899803,40 | 5466487,58 | 19,45 | 4,00 | 4,00 | - | - | B |
| 193 | 5+200/P | 5899766,30 | 5466453,07 | 21,70 | 7,50 | 7,50 | - | - | B |
| 194 | 5+200/L | 5899761,79 | 5466459,67 | 20,40 | 7,50 | - | - | - | B |
| 195 | 5+250/P | 5899725,40 | 5466424,45 | 21,40 | 7,50 | - | - | - | B |
| 196 | 5+250/L | 5899720,77 | 5466430,98 | 20,70 | 6,50 | 6,00 | 6,00 | - | B |
| 197 | 5+300/P | 5899684,73 | 5466395,40 | 15,90 | 5,50 | 5,50 | 3,50 | - | B |
| 198 | 5+300/L | 5899679,93 | 5466401,81 | 15,80 | 6,00 | - | - | - | B |
| 199 | 5+350/P | 5899644,09 | 5466366,27 | 12,90 | 3,00 | - | - | - | B |
| 200 | 5+350/L | 5899639,43 | 5466372,78 | 13,10 | 3,00 | 3,00 | - | - | B |
| 201 | 5+400/P | 5899604,11 | 5466336,23 | 12,80 | 4,00 | 4,00 | - | - | B |
| 202 | 5+400/L | 5899597,85 | 5466344,97 | 13,10 | 4,00 | - | - | - | B |

| | |
|--|------------------------------|
| | wiercenie |
| | wiercenie + SLVT/FVT |
| | wiercenie + DPL/DPM |
| | wiercenie + DPL/DPM+SLVT/FVT |
| | wiercenie + CPTU |

Zestawienie tabelaryczne wykonanych punktów badawczych - OBIEKTY

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|----------------|------------|------------|-----------|-----------|---------|----------|-------|-----------|
| | | X | Y | | | H | [mb] | | |
| 1 | 0+225/PD-1/1 | 5904038,88 | 5467098,73 | 6,45 | 6,00 | - | - | - | C |
| 2 | 0+225/PD-1/2 | 5904038,12 | 5467087,60 | 6,50 | 6,00 | 4,50 | 6,00 | - | C |
| 3 | 0+225/PD-1/3 | 5904037,38 | 5467076,72 | 6,60 | 10,50 | - | - | 10,08 | C |
| 4 | 0+340/PD-DZ2/1 | 5903240,38 | 5467386,45 | 26,93 | 7,00 | - | - | - | C |
| 5 | 0+340/PD-DZ2/2 | 5903243,00 | 5467374,75 | 27,15 | 7,50 | - | - | 7,38 | C |
| 6 | 0+340/PD-DZ2/3 | 5903246,73 | 5467361,28 | 27,69 | 7,00 | - | - | - | C |
| 7 | 0+460/W-1/1 | 5903812,00 | 5467119,15 | 11,50 | 16,50 | - | - | 16,44 | B |
| 8 | 0+460/W-1/2 | 5903809,77 | 5467108,18 | 11,15 | 15,00 | - | - | - | B |
| 9 | 0+460/W-1/3 | 5903800,04 | 5467121,57 | 12,50 | 15,00 | - | - | - | B |
| 10 | 0+460/W-1/4 | 5903797,82 | 5467110,60 | 12,75 | 17,50 | - | - | 17,50 | B |
| 11 | 1+250/PD-2/1 | 5903134,04 | 5467505,72 | 26,15 | 6,00 | - | - | - | B |
| 12 | 1+250/PD-2/2 | 5903121,14 | 5467491,35 | 26,05 | 6,50 | - | - | 6,38 | B |
| 13 | 1+663/PDZm-1/1 | 5902815,53 | 5467745,61 | 30,15 | 9,50 | - | - | 9,36 | B |
| 14 | 1+663/PDZm-1/2 | 5902810,82 | 5467736,71 | 29,75 | 6,00 | - | - | - | B |
| 15 | 1+663/PDZm-1/3 | 5902806,10 | 5467727,88 | 29,70 | 6,00 | - | - | - | B |
| 16 | 1+938/PDZm-2/1 | 5902557,87 | 5467846,84 | 29,00 | 6,00 | - | - | - | C |
| 17 | 1+938/PDZm-2/2 | 5902553,39 | 5467827,51 | 28,40 | 6,00 | - | - | - | C |
| 18 | 2+063/PZm-3/1 | 5902435,01 | 5467875,01 | 29,70 | 7,00 | 1,50 | - | - | B |
| 19 | 2+063/PZm-3/2 | 5902433,16 | 5467863,18 | 29,25 | 6,00 | - | - | - | B |
| 20 | 2+063/PZm-3/3 | 5902431,03 | 5467849,57 | 28,65 | 7,50 | - | - | 7,36 | A |
| 21 | 2+100/PD-3/1 | 5902398,06 | 5467883,74 | 29,45 | 7,50 | - | - | 7,46 | B |
| 22 | 2+100/PD-3/2 | 5902396,13 | 5467868,46 | 28,75 | 6,00 | - | - | - | B |
| 23 | 2+100/PD-3/3 | 5902394,10 | 5467852,48 | 28,30 | 6,00 | - | - | - | B |
| 24 | 2+163/PZS-4/1 | 5902340,94 | 5467889,13 | 30,40 | 12,50 | - | - | 12,44 | B |
| 25 | 2+163/PZS-4/2 | 5902338,67 | 5467858,47 | 29,50 | 10,00 | - | - | - | B |
| 26 | 2+163/PZS-4/3 | 5902328,98 | 5467890,04 | 31,00 | 10,00 | - | - | - | B |
| 27 | 2+163/PZS-4/4 | 5902326,70 | 5467859,34 | 29,95 | 10,50 | - | - | 10,42 | B |
| 28 | 2+525/PD-4/1 | 5901971,82 | 5467856,06 | 34,15 | 6,00 | - | - | - | B |
| 29 | 2+525/PD-4/2 | 5901973,82 | 5467847,21 | 33,40 | 7,50 | - | - | 7,44 | B |
| 30 | 2+525/PD-4/3 | 5901976,42 | 5467836,13 | 32,70 | 6,00 | 2,50 | - | - | B |
| 31 | 2+996/W-2/1 | 5901554,99 | 5467667,80 | 37,54 | 15,00 | - | - | - | B |
| 32 | 2+996/W-2/2 | 5901554,03 | 5467654,77 | 37,00 | 16,50 | - | - | 16,26 | A |
| 33 | 2+996/W-2/3 | 5901542,72 | 5467658,11 | 37,14 | 15,00 | - | - | - | B |
| 34 | 2+996/W-2/4 | 5901539,78 | 5467647,00 | 36,26 | 16,50 | - | - | 16,32 | B |
| 35 | 3+088/PZm-5/1 | 5901468,67 | 5467606,50 | 35,94 | 6,00 | - | - | 2,46 | B |
| 36 | 3+088/PZm-5/2 | 5901474,30 | 5467599,76 | 34,91 | 6,00 | - | - | - | B |
| 37 | 3+088/PZm-5/3 | 5901482,16 | 5467590,27 | 33,72 | 6,00 | - | - | 6,00 | B |
| 38 | 3+125/PD-5/1 | 5901438,70 | 5467584,69 | 34,57 | 6,00 | - | - | 2,28 | B |
| 39 | 3+125/PD-5/2 | 5901445,90 | 5467575,37 | 33,88 | 11,50 | - | - | 11,18 | B |
| 40 | 3+125/PD-5/3 | 5901454,13 | 5467566,03 | 33,70 | 6,00 | - | - | - | B |
| 41 | 3+193/PZm-6/1 | 5901389,37 | 5467536,43 | 35,65 | 8,50 | - | - | - | B |
| 42 | 3+193/PZm-6/2 | 5901395,59 | 5467528,46 | 35,28 | 8,00 | - | - | - | B |
| 43 | 3+193/PZm-6/3 | 5901403,66 | 5467521,95 | 34,96 | 8,50 | - | - | - | B |
| 44 | 3+423/PZm-7/1 | 5901236,51 | 5467363,28 | 36,58 | 10,50 | - | - | 10,08 | B |
| 45 | 3+423/PZm-7/2 | 5901245,28 | 5467356,13 | 36,34 | 6,00 | - | - | - | B |
| 46 | 3+423/PZm-7/3 | 5901254,76 | 5467348,11 | 35,99 | 6,00 | - | - | - | B |
| 47 | 4+075/PD-6/1 | 5900790,19 | 5466900,67 | 32,30 | 8,50 | - | - | 8,54 | B |
| 48 | 4+075/PD-6/2 | 5900800,32 | 5466884,74 | 32,25 | 6,00 | - | - | - | B |
| 49 | 4+237/WD-1/1 | 5900656,85 | 5466836,04 | 35,25 | 15,00 | - | - | - | B |
| 50 | 4+237/WD-1/2 | 5900658,14 | 5466803,48 | 32,30 | 15,50 | - | - | 15,44 | B |
| 51 | 4+237/WD-1/3 | 5900647,33 | 5466831,33 | 35,80 | 15,00 | - | - | 2,68 | B |
| 52 | 4+237/WD-1/4 | 5900648,62 | 5466798,86 | 32,75 | 15,00 | - | - | 15,00 | B |
| 53 | 4+975/PZm-8/1 | 5899951,44 | 5466582,99 | 21,75 | 12,00 | - | - | - | B |
| 54 | 4+975/PZm-8/2 | 5899957,36 | 5466571,17 | 21,60 | 12,00 | - | - | - | B |
| 55 | 4+975/PZm-8/3 | 5899963,79 | 5466558,32 | 20,85 | 12,00 | - | - | 9,68 | B |
| 56 | 4+990/PD-7/1 | 5899938,42 | 5466575,31 | 21,45 | 8,50 | - | - | 8,38 | B |
| 57 | 4+990/PD-7/2 | 5899943,96 | 5466564,39 | 21,10 | 6,00 | - | 3,50 | - | A |

Zestawienie tabelaryczne wykonanych punktów badawczych - OBIEKTY

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| | | X | Y | | | H | [mb] | | |
| 58 | 4+990/PD-7/3 | 5899949,90 | 5466552,71 | 21,60 | 6,00 | - | - | - | B |
| 59 | Z-1/1 | 5904031,57 | 5467129,83 | 7,10 | 7,00 | 7,00 | - | - | B |
| 60 | Z-1/2 | 5904030,34 | 5467109,87 | 6,75 | 6,00 | 6,00 | 3,50 | - | B |
| 61 | Z-1/3 | 5903991,64 | 5467132,29 | 7,85 | 6,00 | 2,50 | 6,00 | - | A |
| 62 | Z-1/4 | 5903990,41 | 5467112,33 | 7,75 | 6,00 | 2,50 | 6,00 | - | A |
| 63 | Z-2/1 | 5903130,00 | 5467471,21 | 26,25 | 6,00 | 6,00 | - | - | B |
| 64 | Z-2/2 | 5903116,72 | 5467456,26 | 26,55 | 6,00 | 6,00 | 1,00 | - | B |
| 65 | Z-2/3 | 5903100,09 | 5467497,78 | 26,40 | 6,00 | 6,00 | 1,00 | - | B |
| 66 | Z-2/4 | 5903086,81 | 5467482,83 | 26,80 | 6,00 | 6,00 | - | - | B |
| 67 | Z-3/1 | 5902377,14 | 5467844,38 | 28,80 | 6,00 | 4,00 | 6,00 | - | B |
| 68 | Z-3/2 | 5902375,14 | 5467824,48 | 29,05 | 6,00 | 4,50 | 6,00 | - | B |
| 69 | Z-3/3 | 5902337,34 | 5467848,38 | 28,90 | 6,00 | 3,50 | 6,00 | - | C |
| 70 | Z-3/4 | 5902335,34 | 5467828,48 | 28,70 | 7,00 | 3,00 | 7,00 | - | B |
| 71 | Z-4/1 | 5901998,44 | 5467830,54 | 31,81 | 6,00 | 6,00 | 5,00 | - | B |
| 72 | Z-4/2 | 5902002,69 | 5467811,05 | 30,60 | 6,00 | 6,00 | - | - | B |
| 73 | Z-4/3 | 5901959,72 | 5467819,00 | 32,35 | 6,00 | 2,00 | 6,00 | - | B |
| 74 | Z-4/4 | 5901962,48 | 5467802,46 | 30,83 | 6,00 | 6,00 | - | - | B |
| 75 | Z-5/1 | 5901475,14 | 5467570,59 | 33,41 | 6,00 | 6,00 | - | - | B |
| 76 | Z-5/2 | 5901489,77 | 5467554,68 | 31,63 | 6,00 | 6,00 | 6,00 | - | B |
| 77 | Z-5/3 | 5901446,51 | 5467543,08 | 33,79 | 6,00 | 6,00 | 5,50 | - | B |
| 78 | Z-5/4 | 5901459,54 | 5467528,18 | 31,52 | 7,00 | 7,00 | 7,00 | - | A |
| 79 | Z-6/1 | 5900952,77 | 5467079,21 | 32,90 | 6,00 | 6,00 | - | - | B |
| 80 | Z-6/2 | 5900965,80 | 5467064,03 | 32,60 | 6,00 | 1,50 | 6,00 | - | B |
| 81 | Z-6/3 | 5900922,42 | 5467053,15 | 35,45 | 6,00 | 6,00 | 5,50 | - | B |
| 82 | Z-6/4 | 5900935,45 | 5467037,98 | 34,80 | 6,00 | 2,00 | 6,00 | - | B |
| 83 | Z-7/1 | 5899993,25 | 5466560,54 | 23,60 | 7,00 | 7,00 | - | - | B |
| 84 | Z-7/2 | 5900001,28 | 5466542,23 | 21,55 | 6,00 | 6,00 | - | - | B |
| 85 | Z-7/3 | 5899956,61 | 5466544,49 | 20,10 | 6,00 | 6,00 | - | - | B |
| 86 | Z-7/4 | 5899964,64 | 5466526,17 | 19,75 | 6,00 | 6,00 | - | - | B |
| 87 | Z-8/1 | 5899526,37 | 5466314,67 | 8,60 | 6,00 | 2,00 | 6,00 | - | B |
| 88 | Z-8/2 | 5899526,37 | 5466294,67 | 9,00 | 6,00 | - | 6,00 | - | B |
| 89 | Z-8/3 | 5899486,37 | 5466314,67 | 9,00 | 6,00 | 2,00 | 6,00 | - | B |
| 90 | Z-8/4 | 5899486,37 | 5466294,67 | 8,90 | 6,00 | 1,50 | 6,00 | - | B |

| | |
|--|------------------------------|
| | wiercenie |
| | wiercenie + SLVT/FVT |
| | wiercenie + DPL/DPM |
| | wiercenie + DPL/DPM+SLVT/FVT |
| | wiercenie + CPTU |

Zestawienie tabelaryczne wykonanych punktów badawczych - DROGI DOJAZDOWE

| Zestawienie tabliczyczne wykonanych punktów badawczych - CROŚĆ DOKŁADOWA | | | | | | | | | |
|--|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
| | | X | Y | H | | [mb] | | | |
| 1 | D1 | 5904346,98 | 5467105,03 | 8,30 | 3,00 | 3,00 | - | - | C |
| 2 | D2 | 5904286,34 | 5467080,24 | 7,80 | 3,00 | 3,00 | - | - | C |
| 3 | D3 | 5904243,02 | 5466940,50 | 6,70 | 4,00 | 4,00 | - | - | C |
| 4 | D4 | 5904257,13 | 5467039,85 | 7,55 | 3,00 | 3,00 | - | - | C |
| 5 | D5 | 5904254,18 | 5467099,74 | 7,81 | 3,00 | 3,00 | - | - | C |
| 6 | D6 | 5904246,36 | 5467140,33 | 8,53 | 3,00 | 3,00 | - | - | C |
| 7 | D7 | 5904183,63 | 5466982,52 | 6,05 | 3,00 | 3,00 | - | - | C |
| 8 | D8 | 5904141,13 | 5467125,69 | 7,70 | 3,00 | 3,00 | - | - | B |
| 9 | D9 | 5903523,44 | 5467188,67 | 24,68 | 3,00 | 3,00 | - | - | B |
| 10 | D10 | 5903394,93 | 5467261,29 | 28,15 | 3,00 | 1,00 | - | - | B |
| 11 | D11 | 5903274,20 | 5467350,10 | 28,50 | 4,00 | 4,00 | - | - | B |
| 12 | D12 | 5903181,89 | 5467382,32 | 28,30 | 3,00 | 3,00 | - | - | B |
| 13 | D13 | 5903298,78 | 5467398,25 | 28,45 | 3,00 | 3,00 | - | - | B |
| 14 | D14 | 5903175,01 | 5467479,54 | 27,05 | 3,00 | 3,00 | - | - | B |
| 15 | D15 | 5903077,52 | 5467588,14 | 28,85 | 3,00 | 1,00 | 3,00 | - | B |
| 16 | D16 | 5903151,77 | 5467602,57 | 33,00 | 3,00 | - | - | - | B |
| 17 | D17 | 5903021,52 | 5467655,65 | 30,75 | 3,00 | - | 1,00 | - | B |
| 18 | D18 | 5903089,82 | 5467510,31 | 26,50 | 3,00 | 3,00 | 1,50 | - | B |
| 19 | D19 | 5902981,26 | 5467579,01 | 32,05 | 4,00 | - | 4,00 | - | B |
| 20 | D20 | 5902993,38 | 5467502,69 | 31,50 | 3,50 | 3,50 | - | - | C |
| 21 | D21 | 5902965,54 | 5467626,75 | 31,15 | 3,00 | - | 3,00 | - | B |
| 22 | D22 | 5902982,26 | 5467663,07 | 31,70 | 3,00 | - | - | - | B |
| 23 | D23 | 5903015,81 | 5467689,90 | 31,90 | 3,00 | - | 1,50 | - | A |
| 24 | D24 | 5903091,19 | 5467758,98 | 31,65 | 3,00 | 2,00 | 3,00 | - | C |
| 25 | D25 | 5902971,51 | 5467701,56 | 33,25 | 3,00 | - | 1,00 | - | C |
| 26 | D26 | 5902962,58 | 5467763,14 | 33,95 | 3,00 | - | - | - | C |
| 27 | D27 | 5901545,73 | 5467443,00 | 33,11 | 3,00 | - | 3,00 | - | B |
| 28 | D28 | 5901545,84 | 5467592,19 | 34,07 | 5,00 | 2,00 | 5,00 | - | B |
| 29 | D29 | 5901549,93 | 5467744,61 | 38,34 | 5,00 | 1,50 | - | - | B |
| 30 | D30 | 5901545,16 | 5467801,91 | 38,69 | 3,00 | 3,00 | 1,50 | - | C |
| 31 | D31 | 5901290,17 | 5467477,83 | 37,39 | 3,00 | 3,00 | 1,50 | - | B |
| 32 | D32 | 5901256,22 | 5467400,23 | 36,98 | 4,00 | 1,00 | 4,00 | - | C |
| 33 | D33 | 5901162,92 | 5467283,53 | 38,80 | 4,00 | - | 1,50 | - | B |
| 34 | D34 | 5901059,13 | 5467196,99 | 39,65 | 4,00 | 4,00 | 3,00 | - | C |
| 35 | D35 | 5901008,00 | 5467223,60 | 38,20 | 3,00 | 1,50 | 3,00 | - | B |
| 36 | D36 | 5901086,30 | 5467175,52 | 40,10 | 3,00 | 1,00 | 1,00 | - | C |
| 37 | D37 | 5901118,56 | 5467142,68 | 38,25 | 3,00 | 2,00 | - | - | B |
| 38 | D38 | 5901174,80 | 5467047,67 | 34,20 | 3,00 | - | 3,00 | - | B |
| 39 | D39 | 5901073,73 | 5467069,51 | 33,50 | 3,00 | 2,00 | 3,00 | - | B |
| 40 | D40 | 5900911,49 | 5467007,51 | 34,20 | 3,00 | 2,00 | 1,50 | - | C |
| 41 | D41 | 5900849,61 | 5466960,43 | 35,90 | 5,00 | - | 5,00 | - | B |
| 42 | D42 | 5900790,11 | 5466919,85 | 32,80 | 3,00 | 2,50 | - | - | C |
| 43 | D43 | 5900661,65 | 5466901,90 | 37,75 | 3,00 | 1,50 | 3,00 | - | B |
| 44 | D44 | 5900849,02 | 5467106,10 | 41,20 | 3,00 | - | - | - | C |
| 45 | D45 | 5900644,99 | 5467013,81 | 36,50 | 3,00 | 3,00 | - | - | B |
| 46 | D46 | 5900648,80 | 5466917,08 | 37,65 | 3,00 | 3,00 | - | - | B |
| 47 | D47 | 5900654,64 | 5466767,19 | 31,05 | 4,00 | 3,50 | - | - | C |
| 48 | D48 | 5900660,57 | 5466617,31 | 29,70 | 3,00 | 1,50 | 3,00 | - | B |
| 49 | D49 | 5900630,27 | 5466849,75 | 37,50 | 3,00 | - | 2,50 | - | B |
| 50 | D50 | 5900575,06 | 5466698,80 | 26,95 | 3,00 | 3,00 | - | - | B |
| 51 | D51 | 5900460,49 | 5466769,63 | 34,00 | 3,00 | 3,00 | 3,00 | - | C |
| 52 | D52 | 5900402,74 | 5466751,11 | 32,50 | 3,00 | 3,00 | 2,00 | - | C |
| 53 | D53 | 5900259,89 | 5466705,34 | 34,00 | 6,00 | 6,00 | 3,00 | - | B |
| 54 | D54 | 5900117,04 | 5466659,58 | 35,10 | 9,00 | 9,00 | 2,00 | - | B |
| 55 | D55 | 5899973,34 | 5466634,07 | 23,20 | 3,00 | 3,00 | - | - | B |
| 56 | D56 | 5899939,31 | 5466535,90 | 20,15 | 3,00 | 3,00 | - | - | B |
| 57 | D57 | 5899843,49 | 5466479,81 | 20,45 | 5,00 | 5,00 | - | - | B |

Zestawienie tabelaryczne wykonanych punktów badawczych - DROGI DOJAZDOWE

| L.P. | NAZWA OTWORU | 2000/5 | | AMSTERDAM | WIERCENIE | DPL/DPM | SLVT/FVT | CPTU | KATEGORIA |
|------|--------------|------------|------------|-----------|-----------|---------|----------|------|-----------|
| | | X | Y | | | | H | [mb] | |
| 58 | D58 | 5899720,68 | 5466391,84 | 18,24 | 6,00 | 3,00 | 6,00 | - | C |
| 59 | D59 | 5899667,18 | 5466261,41 | 11,50 | 4,50 | 4,50 | - | - | B |
| 60 | D60 | 5899722,33 | 5466243,33 | 11,25 | 3,00 | 3,00 | - | - | B |
| 61 | D61 | 5899742,44 | 5466553,61 | 21,25 | 3,00 | 3,00 | - | - | B |
| 62 | D62 | 5899723,81 | 5466480,84 | 18,45 | 3,00 | 3,00 | - | - | B |
| 63 | D63 | 5899621,43 | 5466381,20 | 13,40 | 6,00 | 6,00 | - | - | B |
| 64 | D64 | 5899486,26 | 5466379,34 | 9,95 | 4,00 | 4,00 | - | - | B |
| 65 | D65 | 5899466,67 | 5466383,88 | 8,85 | 3,50 | 3,50 | - | - | B |
| 66 | D66 | 5899549,70 | 5466329,80 | 11,70 | 3,00 | 3,00 | - | - | B |
| 67 | D67 | 5899572,00 | 5466319,81 | 11,60 | 3,00 | 3,00 | - | - | B |
| 68 | D68 | 5899590,62 | 5466301,83 | 11,00 | 3,00 | 3,00 | - | - | B |
| 69 | D69 | 5899466,46 | 5466263,52 | 6,50 | 3,00 | 3,00 | - | - | C |
| 70 | D70 | 5899555,27 | 5466299,73 | 9,80 | 5,50 | 2,00 | 5,50 | - | B |
| 71 | D71 | 5899527,29 | 5466261,89 | 8,65 | 3,00 | 3,00 | - | - | B |
| 72 | D72 | 5899620,05 | 5466263,58 | 9,85 | 3,00 | 3,00 | - | - | B |
| 73 | D73 | 5899725,85 | 5466173,99 | 8,70 | 3,00 | 3,00 | - | - | B |

| | |
|--|------------------------------|
| | wiercenie |
| | wiercenie + SLVT/FVT |
| | wiercenie + DPL/DPM |
| | wiercenie + DPL/DPM+SLVT/FVT |
| | wiercenie + CPTU |

Sumaryczne zestawienie wykonanych badań

| | liczba wykonanych badań | metraż [mb] | wartość minimalna | wartość maksymalna |
|---------------------|-------------------------------|----------------|----------------------|-----------------------|
| otwory wiertnicze | 365 | 1899,00 | 3,00 | 17,50 |
| sondowania DPL/DPM | 187 | 670,50 | 1,00 | 9,00 |
| sondowania SLVT/FVT | 107 | 401,50 | 1,00 | 8,00 |
| sondowania CPTU | 24 | 236,56 | 2,28 | 17,50 |