

# REGISTRATION REPORT

## Part B

### Section 0

Product Background, Regulatory Context and  
GAP information

Product code: A23109A

Product name: ORONDIS VIP

Chemical active substances:

Metalaxyl-M, 174.4 g/L

Oxathiapiprolin, 30 g/L

Central

Zonal Rapporteur Member State: Poland

## CORE ASSESSMENT

(New authorisation)

Applicant: Syngenta

Submission date: June 2022

MS Finalisation date: December 2022 / July 2023

(initial Core Assessment)

December 2023 (final Core Assessment)

## Version history

When	What
July 2022	Version 1 Applicant dRR submitted by applicant to the Polish Ministry of Agriculture and Rural Development
September 2022	Submission to the evaluation unit
December 2022	zRMS finalized dRR evaluation (in the scope of ecotoxicology, fate and behaviour)
March 2023	GAP table update for PL ( <i>Bremia lactucae</i> on lettuce is considered under Art. 33, not 51)
July 2023	Initial zRMS assessment (other section)  The report in the dRR format has been prepared by the Applicant, therefore all comments, additional evaluations and conclusions of the zRMS are presented in grey commenting boxes. Minor changes are introduced directly in the text and <b>highlighted in grey</b> . Not agreed or not relevant information are <del>struck through</del> and <del>shaded</del> for transparency.
December 2023	Final report (Core Assessment updated following the commenting period)  Additional information/assessments included by the zRMS in the report in response to comments received from the CMS and the Applicant are <b>highlighted in yellow</b> . Not agreed or not relevant information are <del>struck through</del> and <del>shaded</del> for transparency.

## Table of Contents

<b>0</b>	<b>Product background, regulatory context and GAP information .....</b>	<b>4</b>
0.1	Introduction .....	4
0.1.1	Reason for application .....	4
0.1.2	Details of zRMS(s) and concerned MS .....	4
0.1.3	Regulatory history of the active(s) .....	4
0.1.3.1	Metalaxyl-M .....	4
0.1.3.2	Oxathiapiprolin .....	6
0.1.4	Regulatory history of the product (if relevant) .....	7
0.2	zRMS conclusion.....	7
<b>Appendix 1</b>	<b>ALL intended uses .....</b>	<b>8</b>

## 0 Product background, regulatory context and GAP information

### 0.1 Introduction

#### 0.1.1 Reason for application

This application from Syngenta for the 1<sup>st</sup> registration of ‘Orondis VIP’ (A23109A) under Article 33 of Regulation (EC) No. 1107/2009.

No equivalence assessment is required.

This application follows the data requirements for the active substance laid down in in Regulation (EC) No. 544/2011 for Metalaxyl-M and in Regulation (EC) No. 283/2013 for oxathiapiprolin, and the data requirements for the plant protection product laid down in Regulation (EC) No. 284/2013.

All data relied on are provided with this application. The reference list at Appendix 1 of dRR B. 1-10 define the data owner and data access. Data protection is a national concern and is addressed in Part A, Appendix 4.

#### 0.1.2 Details of zRMS(s) and concerned MS

**Table 0.1-1: Overview of zRMS and cMS**

	zRMS, product name and authorization no. (if relevant)	(if relevant) Concerned MS, MS' product name and authorization number (if applicable)
<b>Northern zone</b>	n/a	
<b>Central zone</b>	Poland – Orondis VIP (n/a)	Austria – Orondis VIP (n/a) Belgium – Orondis VIP (n/a) Czech Republic – Orondis VIP (n/a) Germany – Orondis VIP (n/a) Netherlands – Orondis VIP (n/a) Slovakia – Orondis VIP (n/a)
<b>Southern zone</b>	France– Orondis VIP (n/a)	n/a
<b>Inter-zonal</b>	Poland– Orondis VIP (n/a)	Austria – Orondis VIP (n/a) Belgium – Orondis VIP (n/a) Czech Republic – Orondis VIP (n/a) France – Orondis VIP (n/a) Germany – Orondis VIP (n/a) Netherlands – Orondis VIP (n/a) Slovakia – Orondis VIP (n/a)
<b>National Submission</b>	GB – Orondis VIP (n/a)	

#### 0.1.3 Regulatory history of the active(s)

##### 0.1.3.1 Metalaxyl-M

**Table 0.1-2: Summary of regulatory history of CAS No: 70630-17-0**

<b>Status</b>	
Approved in EU	Y
Commission Implementing Regulation	Commission Implementing Regulation (EU) 2020/617 of 5 May 2020
RMS	Belgium
Date of Approval (or most recent renewal) of Active Substance (date of Regulation to be applied)	01/06/2020

<b>Status</b>	
Date of first Commission (re-registration) deadline (Step 1) or date of deadline for renewal of authorization (renewal)	01/09/2020
Date of final Commission (re-registration) deadline (Step 2)	Not applicable (renewal under 1107)
Current expiration of approval	31/05/2035
Low risk substance or Candidate for Substitution?	N

Issues that need to be considered as part of the EU approval are listed below.

When used for seed treatment, only the treatment of seeds intended to be sown in greenhouses may be authorised.

In this overall assessment Member States must pay particular attention to:

- the specification of the technical material as commercially manufactured;
- the protection of operators and workers, ensuring that the conditions of use prescribe the use of adequate personal protective equipment, where appropriate;
- the protection of groundwater, when the substance is applied in regions with vulnerable soil and/or climatic conditions;
- the protection of non-target arthropods, birds and mammals.

Conditions of use shall include risk mitigation measures, where appropriate.

The SANTE report for Metalaxyl-M (SANTE/11112/2019 Rev 5 of 24 March 2020) is considered to provide the relevant information on the evaluation or a reference to where such information can be found.

An EFSA Peer review of the pesticide risk assessment of the active substance Metalaxyl-M was made available in **EFSA Journal 2015;13(3):3999** (3<sup>rd</sup> of March 2015).

**Table 0.1-3: Information on minimum purity of Metalaxyl-M**

EU agreed minimum purity from Inclusion Directive or Implementing regulation	(if different) Minimum purity of active substance used in the product / information on available equivalency report *, **
Minimum purity; 920 g/kg	n/a

\* Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification) and as a result the purity of the active substance has changed (see Part C).

\*\* If the specification of the active substance is different to that used as reference specification for EU approval then please refer to the equivalency document from the RMS.

The following table provides the endpoints used in the evaluation in the case that they deviate from EU endpoints.

Endpoint	Active Substance	
	EU agreed endpoint from EFSA Journal 2015;13(3):3999	Endpoint used*
Honeybee adult chronic oral toxicity	-	Chronic LDD <sub>50</sub> = 20.3 µg a.s./bee/day
Honeybee oral larval development	-	Larva NOED = 40.0 µg a.s./larva
NOA409045 DT <sub>50</sub> in soil (d)	31.3 Geometric mean n=8	30.5 <sup>a</sup> Geometric mean n=8
SYN546520 Formation fraction	0.47 from NAO409045	0.1 <sup>b</sup> from NOA409045

\* Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification, confirmatory data)

- <sup>a</sup> The overall DT<sub>50</sub> value used in modelling has been re-calculated, as the geomean value of 31.3 days (EFSA, 2015) was incorrect
- <sup>b</sup> For the metabolite SYN546520, as a tiered approach, the PEC<sub>GW</sub> were calculated with two different formation fractions: 0.47 (Tier 1, EFSA 2015) and 0.1 (Tier 2, derived from inverse modelling, EFSA 2015)

### 0.1.3.2 Oxathiapiprolin

**Table 0.1-4: Summary of regulatory history of CAS No: 1003318-67-9**

Status	
Approved in EU	Y
Commission Implementing Regulation	Commission Implementing Regulation (EU) No 2017/239
RMS	Ireland
Date of Approval (or most recent renewal) of Active Substance (date of Regulation to be applied)	03.03.2017
Date of first Commission (re-registration) deadline (Step 1) or date of deadline for renewal of authorization (renewal)	Not applicable
Date of final Commission (re-registration) deadline (Step 2)	Not applicable (approval under 1107)
Current expiration of approval	03.03.2027
Low risk substance or Candidate for Substitution?	N/A

Commission Implementing Regulation (EU) No 2017/239 of 10<sup>th</sup> February 2017 provides no specific provisions for oxathiapiprolin which need to be considered by the applicant in the preparation of their submission and by the MS prior to granting an authorisation since none are needed.

Conditions of use shall include risk mitigation measures, where appropriate.

These specific concerns are addressed within the current submission.

The notifier shall submit confirmatory information by 3 September 2017 on:

1. The technical specification of the active substance as manufactured (based on commercial scale production) including the relevance of impurities;
2. The compliance of the toxicity and ecotoxicity batches with the confirmed technical specification.

**The EFSA Scientific Review for oxathiapiprolin (EFSA Journal 2016;14(7):4504)** is considered to provide the relevant information on the evaluation or a reference to where such information can be found.

Syngenta is not the notifier for renewal of the active substance. The notifier is Corteva Agriscience International Sàrl (formally DuPont International Operations Sàrl; change effective January 4, 2021) (hereafter called “Corteva”) and appropriate letters of access are included in this submission.

**Table 0.1-5: Information on minimum purity of oxathiapiprolin**

EU agreed minimum purity from Inclusion Directive or Implementing regulation	(if different) Minimum purity of active substance used in the product / information on available equivalency report *, **
950 g/kg	n/a

\* Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification) and as a result the purity of the active substance has changed (see Part C).

\*\* If the specification of the active substance is different to that used as reference specification for EU approval then please refer to the equivalency document from the RMS.

~~The following table provides the endpoints used in the evaluation in the case that they deviate from EU endpoints.~~

Endpoint	Oxathiapiprolin	
	EU agreed endpoint from EFSA Journal 2016;14(7):4504	Endpoint used*
Honeybee adult chronic oral toxicity	-	Chronic LDD <sub>50</sub> = 34.7 µg a.s./bee/day <sup>a</sup>
Honeybee oral larval development	-	Larva NOED = 7.02 µg a.s./larva

\*— Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification, confirmatory data)

<sup>a</sup>— Tested as Oxathiapiprolin 100 g/L OD

#### 0.1.4 Regulatory history of the product (if relevant)

Not relevant as the product has not yet been authorised.

#### 0.2 zRMS conclusion

See column 15 of the GAP table presented in Appendix 1 of this document.

##### Section B8

The results of leaching simulation run with FOCUS PELMO, FOCUS PEARL and FOCUS MACRO demonstrate that the PEC<sub>GW</sub> values for metalaxyl-M metabolite NOA409045 are above 0.1 µg/L for all FOCUS scenarios. The assessment of metabolite NOA409045 is crucial for the authorisation process. Therefore further refinement and toxicological data are required. Please refer to Part B Section 10.

The exposure of adjacent surface waters and terrestrial ecosystems by metalaxyl-M and oxathiapiprolin due to volatilization with subsequent deposition is considered to be low.

##### Section B9

Based on the risk assessment in section of ecotoxicology it can be concluded that the proposed uses of A23109A poses acceptable risk to non-target organisms, if applied according to the recommended use pattern. Particular precautions to reduce the environmental concentrations resulting from A23109A applications are not required.

Uses to be considered safe on the basis of EU methodology:

See column 15 of the GAP table presented in Appendix 1 of this document.

Section B8 Environmental Fate: All uses, if the groundwater metabolite NOA409045 will be consider as not relevant in Section B10.

Section B9 Ecotoxicology: All uses.

Uses to be considered non-safe on the basis of EU methodology:

See column 15 of the GAP table presented in Appendix 1 of this document.

Section B8 Environmental Fate: None

Section B9 Ecotoxicology: None

Uses for which safety has been established only following additional risk mitigation at a national (non-core) level or for which the evaluation is to be confirmed by relevant CMS:

See column 15 of the GAP table presented in Appendix 1 of this document.

Section B8 Environmental Fate: None

Section B9 Ecotoxicology: None

All uses/ GAPs are covered by established MRLs except for uses in Chinese cabbage/pet-tsai, kale and curly kale, herbs and edible flowers (0256000) except basil and edible flowers (0256080), chives, parsley and watercress.

## Appendix 1 ALL intended uses

GAP rev. 2, date: 2023-12-07

PPP (product name/code): Orondis VIP / A23109A  
Active substance 1: Metalaxyl-M  
Active substance 2: Oxathiapiprolin  
Applicant: Syngenta  
Zone(s): zonal <sup>(d)</sup>  
Verified by MS: Yes ~~no~~

Formulation type: DC  
Conc. of as 1: 174.4 g/L <sup>(c)</sup>  
Conc. of as 2: 30 g/L <sup>(c)</sup>  
Professional use: ☒  
Non professional use: ☐

Field of use: Fungicide

1	2	3	4	5	6	7	8	9	10	11	11	12	13	14	15*							
Use- No. <sup>(e)</sup>	Member state(s)	Crop and/ or situation  (crop destination / purpose of crop)	F, Fn, Fn G, Gn, Gp n or I	Pests or Group of pests controlled  (additionally: developmental stages of the pest or pest group)	Application				Application rate				PHI (days)	Remarks :  e.g. g safener/sy nergist per ha <sup>(f)</sup>	zRMS Conclusions							
					Method / Kind	Timing / Growth stage of crop & season	Max. number a) per use b) per crop/ season	Min. interval between applicat ions (days)	L product / ha a) max. rate per appl. b) max. total rate per crop/season	g MFX/ha a) max. rate per appl. b) max. total rate per crop/season	g OXTp/ha a) max. rate per appl. b) max. total rate per crop /season	Water L/ha  min / max			Phys-chem	Analytical methods	Toxicology	Residues	Groundwater	Ecotoxicology	Relevance of metabolites in groundwater	Efficacy
Zonal uses (field or outdoor uses, certain types of protected crops)																						
AT-1	Austria	Baby leaves	F	<i>Bremia lactucae</i> {BREMLA}  Downy Mildews (IPEROF- Peronosporaceae)	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C



AT-3	Austria	Broccoli [BRSOK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-5	Austria	Brussels sprouts [BRSOF]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-7	Austria	Cauliflower [BRSOB]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-8	Austria	Chards and beet leaves [BEAVD]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]  <i>Peronospora farinosa</i> [PEROFA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C

AT-9	Austria	Chicory [CICIN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-10	Austria	Chives [ALLSC]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C
AT-11	Austria	Common purslane [POROL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Consider ation of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C

AT-12	Austria	Cress [CRESS]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-14	Austria	Curly kale [BRSOC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C
AT-15	Austria	Endive [CICEN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C

AT-16	Austria	Escarole [CICEL]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-17	Austria	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-18	Austria	Garlic [ALLSA]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-20	Austria	Head cabbage [BRSOL]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C

AT-21	Austria	Herbs and edible flowers [NNNEF]  Herb-crop (3HERC)	F	<i>Phytophthora/Downy mildew</i> [SCLPST]  Downy Mildews (1PEROF-Peronosporaceae)	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	N except basil and edible flowers (0256 080)	R	A	A	C
AT-23	Austria	Kale [BRSOA]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C
AT-24	Austria	Lamb's lettuce [VLLLO]	F	<i>Bremia lactucae</i> [BREMLA]  Downy Mildews (1PEROF-Peronosporaceae)	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-26	Austria	Leafy brassica [3LFBC]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C

AT-27	Austria	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-28	Austria	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A
AT-29	Austria	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	A
AT-30	Austria	Mustard, red [BRSJU]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-31	Austria	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-32	Austria	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A

AT-33	Austria	Parsley [PARCR]	F	<i>Downy Mildew - Plasmopara umbelliferarum</i> [PLASCR]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C
AT-37	Austria	Pe-tsai [BRSPK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C
AT-38	Austria	Purple-vein rocket [ERUVE]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-40	Austria	Savoy cabbage [BRSOS]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C

AT-41	Austria	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consider ation of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-42	Austria	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consider ation of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-43	Austria	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10		A	A	A	A	R	A	A	A
AT-44	Austria	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C
AT-45	Austria	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consider ation of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	C



AT-46	Austria	Watercress [NAAOF]  Cress (3CRRC)	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Only on soils without water- coverage  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	C
BE-1	Belgium	Baby leaves	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
BE-3	Belgium	Broccoli [BRSOK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	C
BE-5	Belgium	Brussels sprouts [BRSOF]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	C
BE-7	Belgium	Cauliflower [BRSOB]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	C
BE-9	Belgium	Cress [CRESS]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
BE-11	Belgium	Curly kale [BRSOC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	N	R	A	A	C
BE-12	Belgium	Endive [CICEN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C

BE-13	Belgium	Escarole [CICEL]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
BE-14	Belgium	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-15	Belgium	Garlic [ALLSA]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-17	Belgium	Head cabbage [BRSOL]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21		A	A	A	A	R	A	A	C
BE-18	Belgium	Herbs and edible flowers [NNNEF]	F	<i>Phytophthora/Do wny mildew</i> [SCLPST]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N except basil and edible flowers (02560 80)	R	A	A	C
BE-19	Belgium	Lamb's lettuce [VLLLO]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
BE-21	Belgium	Leafy brassica [3LFBC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21		A	A	A	N	R	A	A	C
BE-22	Belgium	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-23	Belgium	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A
BE-24	Belgium	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	A
BE-25	Belgium	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-26	Belgium	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	-	A	A	A	A	R	A	A	A

BE-28	Belgium	Pe-tsai [BRSPK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	N	R	A	A	C
BE-29	Belgium	Purple-vein rocket [ERUVE]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
BE-30	Belgium	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-31	Belgium	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-32	Belgium	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10		A	A	A	A	R	A	A	C
BE-33	Belgium	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-34	Belgium	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
BE-35	Belgium	Watercress [NAAOF]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N	R	A	A	C
CZ-1	Czech Republic	Baby leaves	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-3	Czech Republic	Broccoli [BRSOK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	A	R	A	A	C
CZ-5	Czech Republic	Brussels sprouts [BRSOF]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	A	R	A	A	C
CZ-7	Czech Republic	Cauliflower [BRSOB]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	A	R	A	A	C

CZ-8	Czech Republic	Chards and beet leaves [BEAVD]	F	<i>Peronospora farinosa</i> f. sp. <i>spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Minor use	A	A	A	A	R	A	A	C
CZ-9	Czech Republic	Chicory [CICIN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-10	Czech Republic	Chives [ALLSC]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	N	R	A	A	C
CZ-11	Czech Republic	Common purslane [POROL]	F	<i>Peronospora farinosa</i> f. sp. <i>spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Minor use	A	A	A	A	R	A	A	C
CZ-12	Czech Republic	Cress [CRESS]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-14	Czech Republic	Curly kale [BRSOC]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Minor use	A	A	A	N	R	A	A	C
CZ-15	Czech Republic	Endive [CICEN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-16	Czech Republic	Escarole [CICEL]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-17	Czech Republic	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C
CZ-18	Czech Republic	Garlic [ALLSA]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C

CZ-20	Czech Republic	Head cabbage [BRSOL]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	A	R	A	A	C
CZ-21	Czech Republic	Herbs and edible flowers [NNNEF]	F	<i>Phytophthora/Do wny mildew</i> [SCLPST]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	N except basil and edible flowers (02560 80)	R	A	A	C
CZ-22	Czech Republic	Iceberg lettuce	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-24	Czech Republic	Kale [BRSOA]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	N	R	A	A	C
CZ-27	Czech Republic	Lamb's lettuce [VLLLO]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-29	Czech Republic	Leafy brassica [3LFBC]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	N	R	A	A	C
CZ-30	Czech Republic	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C
CZ-31	Czech Republic	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	A
CZ-32	Czech Republic	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	A
CZ-33	Czech Republic	Mustard, red	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor use	A	A	A	A	R	A	A	C
CZ-34	Czech Republic	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C

CZ-35	Czech Republic	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	A
CZ-36	Czech Republic	Parsley [PARCR]	F	<i>Downy Mildew - Plasmopara umbelliferarum</i> [PLASCR]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	N	R	A	A	C
CZ-40	Czech Republic	Pe-tsai [BRSPK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Minor use	A	A	A	N	R	A	A	C
CZ-41	Czech Republic	Purple-vein rocket [ERUVE]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	A	R	A	A	C
CZ-43	Czech Republic	Savoy cabbage [BRSOS]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Minor use	A	A	A	A	R	A	A	C
CZ-44	Czech Republic	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C
CZ-45	Czech Republic	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C
CZ-46	Czech Republic	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Minor use	A	A	A	A	R	A	A	C
CZ-47	Czech Republic	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C
CZ-48	Czech Republic	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor use	A	A	A	A	R	A	A	C
CZ-49	Czech Republic	Watercress [NAAOF]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field Minor use	A	A	A	N	R	A	A	C

DE-1	Germany	Baby leaves	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-3	Germany	Broccoli [BRSOK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-5	Germany	Brussels sprouts [BRSOF]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-7	Germany	Cauliflower [BRSOB]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.

DE-8	Germany	Chards and beet leaves [BEAVD]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-9	Germany	Chicory [CICIN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-10	Germany	Chives [ALLSC]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.
DE-11	Germany	Common purslane [POROL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.



DE-12	Germany	Cress [CRESS]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-14	Germany	Curly kale [BRSOC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.
DE-15	Germany	Endive [CICEN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.

DE-16	Germany	Escarole [CICEL]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-17	Germany	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-18	Germany	Garlic [ALLSA]	F	<i>Peronospora destructor</i>	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-20	Germany	Head cabbage [BRSOL]	F	<del>[PERODE]</del> <i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N

DE-21	Germany	Herbs and edible flowers [NNNEF]	F	<i>Phytophthora/Do wny mildew</i> [SCLPST]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N except basil and edible flowers (02560 80)	R	A	A	n.r.
DE-23	Germany	Kale [BRSOA]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.
DE-24	Germany	Lamb's lettuce [VLLLO]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-26	Germany	Leafy brassica [3LFBC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.

DE-27	Germany	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-28	Germany	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A
DE-29	Germany	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	A
DE-30	Germany	Mustard, red	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-31	Germany	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-32	Germany	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A

DE-33	Germany	Parsley [PARCR]	F	<i>Downy Mildew - Plasmopara umbelliferarum</i> [PLASCR]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.
DE-37	Germany	Pe-tsai [BRSPK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.
DE-38	Germany	Purple-vein rocket [ERUVE]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-40	Germany	Savoy cabbage [BRSOS]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21	Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.

DE-41	Germany	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-42	Germany	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-43	Germany	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-44	Germany	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.
DE-45	Germany	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Consideration of authorization on the grounds of art. 51 on the national level	A	A	A	A	R	A	A	n.r.

DE-46	Germany	Watercress [NAAOF]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field  Considera tion of authorizat ion on the grounds of art. 51 on the national level	A	A	A	N	R	A	A	n.r.
NL-1	Netherlan ds	Baby leaves	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
NL-3	Netherlan ds	Broccoli [BRSOK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N
NL-5	Netherlan ds	Brussels sprouts [BRSOF]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N
NL-7	Netherlan ds	Cauliflower [BRSOB]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N
NL-10	Netherlan ds	Curly kale [BRSOC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	N	R	A	A	N
NL-11	Netherlan ds	Endive [CICEN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
NL-12	Netherlan ds	Escarole [CICEL]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
NL-13	Netherlan ds	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
NL-14	Netherlan ds	Garlic [ALLSA]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C

NL-16	Netherlands	Head cabbage [BRSOL]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21		A	A	A	A	R	A	A	N
NL-17	Netherlands	Herbs and edible flowers [NNNEF]	F	<i>Phytophthora/Do wny mildew</i> [SCLPST]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N except basil and edible flowers (02560 80)	R	A	A	C
NL-18	Netherlands	Lamb's lettuce [VLLLO]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
NL-20	Netherlands	Leafy brassica [3LFBC]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21		A	A	A	N	R	A	A	N
NL-21	Netherlands	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
NL-22	Netherlands	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A
NL-23	Netherlands	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	A
NL-24	Netherlands	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
NL-25	Netherlands	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A
NL-27	Netherlands	Pe-tsai [BRSPK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20-21		A	A	A	N	R	A	A	N
NL-28	Netherlands	Purple-vein rocket [ERUVE]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	C
NL-29	Netherlands	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C



NL-30	Netherlands	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
NL-31	Netherlands	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10		A	A	A	A	R	A	A	N
NL-32	Netherlands	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
NL-33	Netherlands	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	C
PL-1	Poland	Baby leaves	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.
PL-3	Poland	Broccoli [BRSOK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-3a	Poland	Broccoli [BRSOK]	F	<i>Albugo sp.</i> [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-5	Poland	Brussels sprouts [BRSOF]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-5a	Poland	Brussels sprouts [BRSOF]	F	<i>Albugo sp.</i> [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-7	Poland	Cauliflower [BRSOB]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-7a	Poland	Cauliflower [BRSOB]	F	<i>Albugo sp.</i> [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-8	Poland	Chards and beet leaves [BEAVD]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.

PL-9	Poland	Chicory [CICIN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.
PL-10	Poland	Chives [ALLSC]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	N	R	A	A	n.r.
PL-11	Poland	Common purslane [POROL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-12	Poland	Cress [CRESS]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.
PL-14	Poland	Curly kale [BRSOC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-14a	Poland	Curly kale [BRSOC]	F	<i>Albugo sp.</i> [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-15	Poland	Endive [CICEN]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.
PL-16	Poland	Escarole [CICEL]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.

PL-17	Poland	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-18	Poland	Garlic [ALLSA]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-20	Poland	Head cabbage [BRSOL]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N
PL-20a	Poland	Head cabbage [BRSOL]	F	<i>Albugo</i> sp. [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-21	Poland	Herbs and edible flowers [NNNEF]	F	<i>Phytophthora/Do wny mildew</i> [SCLPST]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	N except basil and edible flowers (02560 80)	R	A	A	n.r.
PL-23	Poland	Kale [BRSOA]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-23a	Poland	Kale [BRSOA]	F	<i>Albugo</i> sp. [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-24	Poland	Lamb's lettuce [VLLLO]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.
PL-26	Poland	Leafy brassica [3LFBC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-26a	Poland	Leafy brassica [3LFBC]	F	<i>Albugo</i> sp. [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-27	Poland	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-28	Poland	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N

PL-29	Poland	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	A
PL-30	Poland	Mustard, red	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-31	Poland	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-32	Poland	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	A
PL-33	Poland	Parsley [PARCR]	F	<i>Downy Mildew - Plasmopara umbelliferarum</i> [PLASCR]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	N	R	A	A	n.r.
PL-37	Poland	Pe-tsai [BRSPK]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-37a	Poland	Pe-tsai [BRSPK]	F	<i>Albugo</i> sp. [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	N	R	A	A	n.r.
PL-38	Poland	Purple-vein rocket [ERUVE]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	A	R	A	A	n.r.
PL-40	Poland	Savoy cabbage [BRSOS]	F	<i>Hyaloperonospora parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-40a	Poland	Savoy cabbage [BRSOS]	F	<i>Albugo</i> sp. [ALBUSP]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.

PL-41	Poland	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-42	Poland	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-43	Poland	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-44	Poland	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-45	Poland	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14	Minor Use – Art 51	A	A	A	A	R	A	A	n.r.
PL-46	Poland	Watercress [NAAOF]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Minor Use – Art 51 Max 2 app per year in same field	A	A	A	N	R	A	A	n.r.
SK-1	Slovakia	Baby leaves	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	N
SK-3	Slovakia	Broccoli [BRSOK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	-	A	A	A	A	R	A	A	N
SK-5	Slovakia	Brussels sprouts [BRSOB]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	-	A	A	A	A	R	A	A	N
SK-7	Slovakia	Cauliflower [BRSOB]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	-	A	A	A	A	R	A	A	N
SK-8	Slovakia	Chards and beet leaves [BEAVD]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10		A	A	A	A	R	A	A	N

SK-9	Slovakia	Chives [ALLSC]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N	R	A	A	N
SK-10	Slovakia	Common purslane [POROL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10		A	A	A	A	R	A	A	N
SK-11	Slovakia	Cress [CRESS]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	N
SK-13	Slovakia	Curly kale [BRSOC]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	N	R	A	A	N
SK-14	Slovakia	Garlic [ALLSA]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-15	Slovakia	Garlic [ALLSA]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-17	Slovakia	Head cabbage [BRSOL]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	-	A	A	A	A	R	A	A	N
SK-18	Slovakia	Herbs and edible flowers [NNNEF]	F	<i>Phytophthora/Do wny mildew</i> [SCLPST]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N except basil and edible flower s (0256 080)	R	A	A	N
SK-20	Slovakia	Kale [BRSOA]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21	-	A	A	A	N	R	A	A	N
SK-22	Slovakia	Kale [BRSOA]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	N	R	A	A	N
SK-23	Slovakia	Leek [ALLPO]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-24	Slovakia	Leek [ALLPO]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N

SK-25	Slovakia	Lettuce [LACSA]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	A	R	A	A	N
SK-26	Slovakia	Mustard, red	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N
SK-27	Slovakia	Onion [ALLCE]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-28	Slovakia	Onion [ALLCE]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-29	Slovakia	Parsley [PARCR]	F	<i>Downy Mildew - Plasmopara umbelliferarum</i> [PLASCR]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N	R	A	A	N
SK-33	Slovakia	Pe-tsai [BRSPK]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	N	R	A	A	N
SK-35	Slovakia	Savoy cabbage [BRSOS]	F	<i>Hyaloperonospor a parasitica</i> [PEROPA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7-10	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	20 21		A	A	A	A	R	A	A	N
SK-36	Slovakia	Shallot [ALLAS]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-37	Slovakia	Shallot [ALLAS]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-38	Slovakia	Spinach [SPQOL]	F	<i>Peronospora farinosa f. sp. spinaciae</i> [PEROFS]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-600	10		A	A	A	A	R	A	A	N
SK-39	Slovakia	Spring, welsh and green onion [ALLFI]	F	<i>Peronospora destructor</i> [PERODE]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N
SK-40	Slovakia	Spring, welsh and green onion [ALLFI]	F	<i>Phytophthora porri</i> [PHYTPO]	Foliar	BBCH 12 - 48	a) 2 b) 2	12-14	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	14		A	A	A	A	R	A	A	N

SK-41	Slovakia	Watercress [NAAOF]	F	<i>Bremia lactucae</i> [BREMLA]	Foliar	BBCH 12 - 49	a) 2 b) 2	7	a) 0.5 b) 1	a) 87.2 b) 174.4	a) 15 b) 30	200-800	10	Max 2 app per year in same field	A	A	A	N	R	A	A	N
-------	----------	-----------------------	---	------------------------------------	--------	-----------------	--------------	---	----------------	---------------------	----------------	---------	----	---	---	---	---	---	---	---	---	---

<b>Minor uses according to Article 51 (zonal uses)</b>																					
None																					
<b>Interzonal uses (use as seed treatment, in greenhouses (or other closed places of plant production), as post-harvest treatment or for treatment of empty storage rooms)</b>																					
N/A																					
<b>Minor uses according to Article 51 (interzonal uses)</b>																					
None																					

<b>Remarks table heading:</b>	(a)	e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR)	(d)	Select relevant
	(b)	Catalogue of pesticide formulation types and international coding system CropLife International Technical Monograph n°2, 6th Edition Revised May 2008	(e)	Use number(s) in accordance with the list of all intended GAPs in Part B, Section 0 should be given in column 1
	(c)	g/kg or g/l	(f)	No authorization possible for uses where the line is highlighted in grey, Use should be crossed out when the notifier no longer supports this use.
<b>Remarks columns:</b>	1	Numeration necessary to allow references	7	Growth stage at first and last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
	2	Use official codes/nomenclatures of EU Member States	8	The maximum number of application possible under practical conditions of use must be provided.
	3	For crops, the EU and Codex classifications (both) should be used; when relevant, the use situation should be described (e.g. fumigation of a structure)	9	Minimum interval (in days) between applications of the same product
	4	F: professional field use, Fn: non-professional field use, Fpn: professional and non-professional field use, G: professional greenhouse use, Gn: non-professional greenhouse use, Gpn: professional and non-professional greenhouse use, I: indoor application	10	For specific uses other specifications might be possible, e.g.: g/m³ in case of fumigation of empty rooms. See also EPPO-Guideline PP 1/239 Dose expression for plant protection products.
	5	Scientific names and EPPO-Codes of target pests/diseases/ weeds or, when relevant, the common names of the pest groups (e.g. biting and sucking insects, soil born insects, foliar fungi, weeds) and the developmental stages of the pests and pest groups at the moment of application must be named.	11	The dimension (g, kg) must be clearly specified. (Maximum) dose of a.s. per treatment (usually g, kg or L product / ha).
	6	Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench	12	If water volume range depends on application equipments (e.g. ULVA or LVA) it should be mentioned under “application: method/kind”.
		Kind, e.g. overall, broadcast, aerial spraying, row, individual plant, between the plants - type of equipment used must be indicated.	13	PHI - minimum pre-harvest interval
			14	Remarks may include: Extent of use/economic importance/restrictions
			15	Overall conclusions - explanation for the column 15 is below *

\* Explanation for column 15 “Overall conclusions”

A	Acceptable
R	Acceptable with further restriction
C	To be confirmed by cMS
N	Not acceptable / evaluation not possible
n.r.	Not relevant