

REGISTRATION REPORT

Part B

Section 0

Product Background, Regulatory Context and
GAP information

Product code: GLOB2112dH

Product name: Walkover Trio

Chemical active substances:

Thiencarbazone-methyl, 75 g/L

Mesotrione, 375 g/L

Central Zone

Zonal Rapporteur Member State: Poland

CORE ASSESSMENT

(authorization)

Applicant: Globachem NV

Submission date: September 2024

zRMS Assessment : 31/03/2025

Version after commenting: 03/07/2025

List of references update: 10/07/2025

Version history

When	What
September 2024	Initial dossier submission by applicant for approval of new product.
March 2025	zRMS assessment
July 2025	After commenting round
July 2025	List of references update

Table of Contents

0	Product background, regulatory context and GAP information	4
0.1	Introduction.....	4
0.1.1	Reason for application	4
0.1.2	Details of zRMS(s) and concerned MS	4
0.1.3	Regulatory history of the active(s).....	4
0.1.3.1	Thiencarbazone-methyl.....	4
0.1.3.2	Mesotrione	5
0.1.4	Regulatory history of the product	6
0.2	zRMS conclusion	6
Appendix 1	ALL intended uses	8

0 Product background, regulatory context and GAP information

0.1 Introduction

0.1.1 Reason for application

This application is for a new product containing 75 g/L thien carbazone-methyl, 375 g/L mesotrione and 112 g/L cyprosulfamide (safener) formulated as a suspension concentrate (SC).

This application follows the data requirements for the active substance laid down in Regulation (EC) No. 283/2013 and the data requirements for the plant protection product laid down in Regulation (EC) No. 284/2013.

The Annex II data of thien carbazone-methyl are out of data protection. The Annex II data of mesotrione are still under data protection. However, the applicant has provided matching studies which have already been approved following the Annex I renewal of mesotrione. The Annex III data of GLOB2112dH are owned by Globachem NV.

The intended sources of the active substances have been positively evaluated in the EU.

0.1.2 Details of zRMS(s) and concerned MS

Table 0.1-1: Overview of zRMS and cMS

	zRMS, product name and authorization no. (if relevant)	(if relevant) Concerned MS, MS' product name and authorization number (if applicable)
Central zone	Poland, Walkover Trio	Romania, Walkover Trio Hungary, Walkover Trio Slovakia, , Walkover Trio

0.1.3 Regulatory history of the active(s)

0.1.3.1 Thien carbazone-methyl

Table 0.1-2: Summary of regulatory history of CAS No: 317815-83-1

Status	
Approved in EU	Y
Original Inclusion Directive or Commission Implementing Regulation	Commission Implementing Regulation (EU) No 154/2014
RMS	FR (original RMS was UK)
Date of Approval (or most recent renewal) of Active Substance (date of Regulation to be applied)	01.07.2014
Date of first Commission (re-registration) deadline (Step 1) or date of deadline for renewal of authorization (renewal)	31.12.2014

Status	
Date of final Commission (re-registration) deadline (Step 2)	31.12.2015
Current expiration of approval	01.03.2027
Low risk substance or Candidate for Substitution?	N/A

Issues that need to be considered as part of the EU approval are listed below.

In this overall assessment Member States must pay particular attention to:

- The risk to groundwater if the substance is applied under vulnerable geographical or climatic conditions
- The risk to aquatic organisms

The SANCO report for thiencarbazone-methyl (SANCO/12602/2013 rev 2 – 23/03/2018) is considered to provide the relevant information on the evaluation or a reference to where such information can be found. An EFSA Scientific Report was made available on 01/07/2013.

Table 0.1-3: Information on minimum purity of thiencarbazone-methyl

EU agreed minimum purity from Inclusion Directive or Implementing regulation	(if different) Minimum purity of active substance used in the product / information on available equivalency report *, **
950 g/kg	990 g/kg Equivalence report available: Y RMS: Germany

* Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification) and as a result the purity of the active substance has changed (see Part C).

**. If the specification of the active substance is different to that used as reference specification for EU approval then please refer to the equivalency document from the RMS.

0.1.3.2 Mesotrione

Table 0.1-2: Summary of regulatory history of CAS No: 104206-82-8

Status	
Approved in EU	Y
Original Inclusion Directive or Commission Implementing Regulation	Commission Directive 03/68/EC or Commission Implementing Regulation (EU) No 540/2011 and No 823/2012 And Commission Implementing Regulation (EU) 2016/950 and 2017/725
RMS	UK
Date of Approval (or most recent renewal) of Active Substance (date of Regulation to be applied)	01.06.2017
Date of first Commission (re-registration) deadline (Step 1) or date of deadline for renewal of authorization (renewal)	01.06.2018
Date of final Commission (re-registration) deadline (Step 2)	01.06.2018
Current expiration of approval	31.05.2032
Low risk substance or Candidate for Substitution?	N/A

Issues that need to be considered as part of the EU approval are listed below.

In this overall assessment Member States must pay particular attention to:

- the protection of operators
- the protection of groundwater in vulnerable regions
- the protection of mammals, aquatic and non-target plants

The SANCO report for mesotrione (SANTE/11654/2016 – 23/03/2017) is considered to provide the relevant information on the evaluation or a reference to where such information can be found. An EFSA Scientific Report was made available on 7 March 2016.

Table 0.1-3: Information on minimum purity of mesotrione

EU agreed minimum purity from Inclusion Directive or Implementing regulation	(if different) Minimum purity of active substance used in the product / information on available equivalency report *, **
920 g/kg	940 g/kg Equivalence report available: Y RMS: UK/Belgium

* Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification) and as a result the purity of the active substance has changed (see Part C).

**. If the specification of the active substance is different to that used as reference specification for EU approval then please refer to the equivalency document from the RMS.

0.1.4 Regulatory history of the product

Not relevant as the product has not yet been authorised

0.2 zRMS conclusion

From an efficacy aspect, the use of GLOB2112dH for post-emergence application in maize is considered safe and effective. It is expected that the relevance of each weed will vary across the Central Zone, and the zRMS cannot confirm the importance of each weed in individual cMS. Therefore, cMS will need to determine whether the number of trials is sufficient for each weed, depending on its importance in their respective country. GLOB2112dH is classified for human health and environmental reasons as: H361d, H373 and H410. The proposed use of the product does not represent unacceptable chronic and acute risks for the consumers.

Uses to be considered safe on the basis of EU methodology:

See Appendix 1.

Uses to be considered non-safe on the basis of EU methodology:

See Appendix 1.

Uses for which safety has been established only following additional risk mitigation at a national (non-core) level or for which the evaluation is to be confirmed by relevant cMS:

See Appendix 1.

The following text is to be shortened or to be amended as necessary.

All uses/ GAPs are covered by established MRLs.

Appendix 1 ALL intended uses

PPP (product name/code):
Active substance 1:
Active substance 2:
Safener:
Synergist:
Applicant:
Zone(s):
Verified by MS:

Walkover Trio/GLOB2112dH
Thiencarbazone-methyl
Mesotrione
Cyprosulfamide
/
Globachem NV
central ^(d)
yes/no

Formulation type:
Conc. of as 1:
Conc. of as 2:
Conc. of safener:
Conc. of synergist:
Professional use:
Non professional use:

SC^(a, b)
75 g/L^(c)
375 g/L^(c)
112 g/L^(c)
/
☒
☐

GAP rev. 1.0, date: 2024-06-10

Field of use:
herbicide

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Use- No. ^(e)	Member state(s)	Crop and/ or situation (crop destination / purpose of crop)	F, Fn, Fpn G, Gn, Gpn or I	Pests or Group of pests controlled (additionally: developmental stages of the pest or pest group)	Application				Application rate			PHI (days)	Remarks: e.g. g safen- er/synergist per ha ^(f)
					Method / Kind	Timing / Growth stage of crop & season	Max. num- ber a) per use b) per crop/ season	Min. interval between applications (days)	L product / ha a) max. rate per appl. b) max. total rate per crop/season	g as/ha a) max. rate per appl. b) max. total rate per crop/season	Water L/ha min / max		
1	PL	Maize (ZEAMX)	F	POLCO , THLAR , CAPBP, SOLNI.	Downwards spraying – Broadcast application	BBCH 10-18	a) 1 b) 1	/	a) 0.2 b) 0.2	a) Thiencarbazone- methyl: 15 + Mesotri- one: 75 b) Thiencarbazone- methyl 15 + Mesotri- one: 75	100 – 300	N/A	Safener: 22.4 g/ha cyprosulfamide
2	RO, HU, SK	Maize (ZEAMX)	F	< 85% (MS): AMARE, AMBEL, CHEAL	Downwards spraying – Broadcast application	BBCH 10-18	a) 1 b) 1	/	a) 0.2 b) 0.2	a) Thiencarbazone- methyl: 15 + Mesotri- one: 75 b) Thiencarbazone-	100 – 300	N/A	Safener: 22.4 g/ha cyprosulfamide

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Use- No. (e)	Member state(s)	Crop and/ or situation (crop destination / purpose of crop)	F, Fn, Fpn G, Gn, Gpn or I	Pests or Group of pests controlled (additionally: developmental stages of the pest or pest group)	Application				Application rate			PHI (days)	Remarks: e.g. g safen- er/synergist per ha (f)
					Method / Kind	Timing / Growth stage of crop & season	Max. num- ber a) per use b) per crop/ season	Min. interval between applications (days)	L product / ha a) max. rate per appl. b) max. total rate per crop/season	g as/ha a) max. rate per appl. b) max. total rate per crop/season	Water L/ha min / max		
										methyl 15 + Mesotri- one: 75			
3	PL	Maize (ZEAMX)	F	CAPBP, POLCO, THLAR	Downwards spraying – Broadcast application	BBCH 10-18	a) 1 b) 1	/	a) 0.13 b) 0.13	a) Thiencarbazone- methyl: 9.75 + Mesotrione: 48.75 b) Thiencarbazone- methyl 9.75 + Mesotrione: 48.75	100 – 300	N/A	Safener: 14.6 g/ha cyprosulfamide Optional lower rate as backup or dose range.
4	RO, HU, SK	Maize (ZEAMX)	F	AMARE, AMBEL, CHEAL	Downwards spraying – Broadcast application	BBCH 10-18	a) 1 b) 1	/	a) 0.13 b) 0.13	a) Thiencarbazone- methyl: 9.75 + Mesotrione: 48.75 b) Thiencarbazone- methyl 9.75 + Mesotrione: 48.75	100 – 300	N/A	Safener: 14.6 g/ha cyprosulfamide Optional lower rate as backup or dose range.
5	PL,	Maize (ZEAMX)	F	POLCO , THLAR , CAPBP, SOLNI.	Downwards spraying – Banded application (50% of field)	BBCH 10-18	a) 1 b) 1	/	a) 0.2 b) 0.2	a) Thiencarbazone- methyl: 15 + Mesotri- one: 75 b) Thiencarbazone- methyl 15 + Mesotri- one: 75	100 – 300	N/A	Safener: 22.4 g/ha cyprosulfamide Dose rate is concen- tration within the band.
6	RO, HU, SK	Maize (ZEAMX)		< 85% (MS): AMARE, AMBEL, CHEAL)	Downwards spraying – Banded application (50% of field)	BBCH 10-18	a) 1 b) 1	/	a) 0.2 b) 0.2	a) Thiencarbazone- methyl: 15 + Mesotri- one: 75 b) Thiencarbazone- methyl 15 + Mesotri- one: 75	100 – 300	N/A	Safener: 22.4 g/ha cyprosulfamide Dose rate is concen- tration within the band.
7	PL	Maize (ZEAMX)	F	CAPBP, POLCO, THLAR	Downwards spraying – Banded application (50% of field)	BBCH 10-18	a) 1 b) 1	/	a) 0.13 b) 0.13	a) Thiencarbazone- methyl: 9.75 + Mesotrione: 48.75 b) Thiencarbazone-	100 – 300	N/A	Safener: 14.6 g/ha cyprosulfamide Optional lower rate as backup or dose

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Use- No. (e)	Member state(s)	Crop and/ or situation (crop destination / purpose of crop)	F, Fn, Fpn G, Gn, Gpn or I	Pests or Group of pests controlled (additionally: developmental stages of the pest or pest group)	Application				Application rate			PHI (days)	Remarks: e.g. g safen- er/synergist per ha (f)
					Method / Kind	Timing / Growth stage of crop & season	Max. num- ber a) per use b) per crop/ season	Min. interval between applications (days)	L product / ha a) max. rate per appl. b) max. total rate per crop/season	g as/ha a) max. rate per appl. b) max. total rate per crop/season	Water L/ha min / max		
										methyl 9.75 + Mesotrione: 48.75			range. Dose rate is concen- tration within the band.
8	RO, HU, SK	Maize (ZEAMX)	F	AMARE, AMBEL, CHEAL	Downwards spraying – Banded application (50% of field)	BBCH 10-18	a) 1 b) 1	/	a) 0.13 b) 0.13	a) Thien carbazon- methyl: 9.75 + Mesotrione: 48.75 b) Thien carbazon- methyl 9.75 + Mesotrione: 48.75	100 – 300	N/A	Safener: 14.6 g/ha cyprosulfamide Optional lower rate as backup or dose range. Dose rate is concen- tration within the band.

Remarks table heading:

(a) e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR)
(b) Catalogue of pesticide formulation types and international coding system CropLife International Technical Monograph n°2, 6th Edition Revised May 2008
(c) g/kg or g/l

(d) Select relevant
(e) Use number(s) in accordance with the list of all intended GAPs in Part B, Section 0 should be given in column 1
(f) No authorization possible for uses where the line is highlighted in grey, Use should be crossed out when the notifier no longer supports this use.

Remarks columns:	1	Numeration necessary to allow references	7	Growth stage at first and last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
	2	Use official codes/nomenclatures of EU Member States	8	The maximum number of application possible under practical conditions of use must be provided.
	3	For crops, the EU and Codex classifications (both) should be used; when relevant, the use situation should be described (e.g. fumigation of a structure)	9	Minimum interval (in days) between applications of the same product
	4	F: professional field use, Fn: non-professional field use, Fpn: professional and non-professional field use, G: professional greenhouse use, Gn: non-professional greenhouse use, Gpn: professional and non-professional greenhouse use, I: indoor application	10	For specific uses other specifications might be possible, e.g.: g/m³ in case of fumigation of empty rooms. See also EPPO-Guideline PP 1/239 Dose expression for plant protection products.
	5	Scientific names and EPPO-Codes of target pests/diseases/ weeds or, when relevant, the common names of the pest groups (e.g. biting and sucking insects, soil born insects, foliar fungi, weeds) and the developmental stages of the pests and pest groups at the moment of application must be named.	11	The dimension (g, kg) must be clearly specified. (Maximum) dose of a.s. per treatment (usually g, kg or L product / ha).
	6	Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench	12	If water volume range depends on application equipments (e.g. ULVA or LVA) it should be mentioned under "application: method/kind".
		Kind, e.g. overall, broadcast, aerial spraying, row, individual plant, between the plants - type of equipment used must be indicated.	13	PHI - minimum pre-harvest interval
			14	Remarks may include: Extent of use/economic importance/restrictions