




| | | | |
|--------------------------|--------|--------|-------|
| Odległości istniejące: | | | |
| Rzędne istniejące: | 109.46 | | |
| Odległości projektowane: | | 109.47 | -6.87 |
| Rzędne projektowane: | 112.00 | -9.09 | |
| | 111.82 | -4.08 | |
| | 111.81 | -3.49 | |
| | 111.80 | -2.72 | |
| | 111.80 | -2.01 | |
| | 111.81 | -1.33 | |
| | 111.81 | -0.70 | |
| | 111.82 | -0.00 | |
| | 111.83 | 0.78 | |
| | 111.85 | 1.87 | |
| | 111.98 | 2.65 | |
| | 109.49 | 4.35 | |
| | 112.03 | 8.31 | |
| | 112.03 | 10.31 | |
| | 112.06 | 12.48 | |
| | 109.51 | 12.48 | |




| | | | |
|--------|-------|--------|-------|
| 109.41 | -9.24 | 108.40 | -9.32 |
| 109.45 | -8.73 | 108.40 | -8.75 |
| 109.42 | -7.18 | | |
| | | | |
| 109.29 | -4.22 | | |
| 109.21 | -3.25 | 108.43 | -2.79 |
| 109.18 | -2.15 | | |
| 109.14 | 0.00 | | |
| 109.11 | 1.37 | | |
| 109.19 | 3.28 | | |
| 109.13 | 4.03 | | |
| | | | |
| 109.09 | 7.63 | 108.54 | 7.63 |




| | | | |
|--------|-------|--------|-------|
| 109.17 | -8.73 | 108.72 | -8.73 |
| 109.19 | -6.28 | | |
| 109.21 | -5.98 | | |
| 109.17 | -3.27 | | |
| 109.24 | 0.00 | | |
| 109.24 | 0.20 | | |
| 109.30 | 2.15 | | |
| 109.50 | 5.96 | | |
| 109.51 | 6.44 | | |
| 109.52 | 7.00 | 108.85 | 7.00 |



| | | | |
|--------|-------|--------|-------|
| 109.63 | -3.57 | 108.97 | -3.57 |
| 109.49 | -0.30 | | |
| 109.49 | 0.00 | | |
| 109.43 | 2.70 | | |
| 109.43 | 3.87 | | |
| 108.92 | 4.63 | | |
| | | 108.90 | 8.40 |
| 109.09 | 11.61 | 108.87 | 11.61 |



| | | | |
|--------|-------|--------|-------|
| 108.96 | -3.61 | 108.51 | -3.61 |
| 109.01 | -3.00 | | |
| 108.85 | -2.79 | | |
| 108.77 | 0.00 | | |
| 108.76 | 0.21 | 108.50 | 1.42 |
| 108.77 | 3.75 | | |
| 108.49 | 4.16 | | |
| | | 108.49 | 7.50 |



| | | | |
|-------------------------------|----------------------------|--------|--------|
| 11/02/05/02 (I) Zasilanie MOP | | | |
| Branta | Tyul rybniku | 108.23 | -24.64 |
| Eksploatacyjny (z) | Profilo linii m c | 108.22 | -21.16 |
| | | 107.98 | -21.99 |
| | | 107.34 | -21.04 |
| | | 107.02 | -20.41 |
| | | 107.02 | -20.16 |
| | | 107.70 | -19.13 |
| | | 108.92 | -17.30 |
| | | 108.96 | -16.79 |
| | | 109.02 | -16.14 |
| | | 109.07 | -15.50 |
| | | 109.23 | -9.07 |
| | | 109.32 | -5.50 |
| | | 109.18 | -1.96 |
| | | 109.10 | -0.00 |
| | | 109.07 | 0.61 |
| 109.23 | 3.76 | | |
| 109.32 | 5.50 | | |
| 109.16 | 11.93 | | |
| 109.07 | 15.50 | | |
| 108.96 | 16.78 | | |
| 108.92 | 17.30 | | |
| 107.75 | 19.05 | | |
| 107.10 | 20.43 | | |
| 107.60 | 21.18 | | |
| 108.02 | 21.80 | | |
| 108.25 | 22.15 | | |
| 108.25 | 23.36 | | |
| | | | |
| Branta | Tyul rybniku | 108.23 | 21.63 |
| Eksploatacyjny (z) | Profilo linii m c | 108.25 | 23.36 |
| Stronicko | Integ i rozdelka | | |
| Projektant | ingr.uz. David Wierzbinski | | |
| Spreadsheet | ing. Marek Bogner | | |
| N rozpisu | Stala | | |

[illegible]