

----- **Współrzędne punktów głównych trasy** -----

ODCINEK A-B

ZAŁOM	TYP	WSPÓŁRZĘDNE:	X (N)	Y (E)
			5882224,380	6550612,970
			5882226,540	6550617,820
			5882233,850	6550629,290
			5882257,250	6550663,280
			5882273,180	6550684,910
		PLK	5882270,321	6550681,027
		SŁK	5882273,083	6550684,974
		KŁK	5882275,653	6550689,050
			5882297,460	6550725,560
			5882308,640	6550744,380
			5882330,790	6550781,020
			5882366,380	6550837,680
		PLK	5882341,643	6550798,298
		SŁK	5882368,093	6550836,368
		KŁK	5882397,956	6550871,824
			5882402,160	6550876,370
		PLK	5882401,232	6550875,366
		SŁK	5882402,084	6550876,423
		KŁK	5882402,785	6550877,586
			5882410,180	6550891,980
		PLK	5882408,601	6550888,906
		SŁK	5882409,257	6550891,936
		KŁK	5882408,313	6550894,889
			5882408,030	6550895,330

ODCINEK C-D

ZAŁOM	TYP	WSPÓŁRZĘDNE:	X (N)	Y (E)
			5882248,830	6550598,110
			5882253,030	6550605,030
			5882287,350	6550664,000
			5882296,630	6550680,510
			5882327,960	6550739,530
			5882344,170	6550766,500
			5882370,430	6550808,450
		PLK	5882355,839	6550785,141
		SŁK	5882371,048	6550808,014
		KŁK	5882387,489	6550830,018
			5882396,270	6550841,120
		PLK	5882387,638	6550830,206
		SŁK	5882396,418	6550840,996
		KŁK	5882405,496	6550851,537
			5882416,720	6550864,210
		PLK	5882415,236	6550862,535
		SŁK	5882416,912	6550863,659
		KŁK	5882418,924	6550863,822
			5882428,090	6550862,210
		PLK	5882425,023	6550862,749
		SŁK	5882427,862	6550862,935
		KŁK	5882430,296	6550864,407
			5882430,520	6550864,630

ODCINEK E-F

ZALOM	TYP	WSPÓŁRZĘDNE:	X (N)	Y (E)
			5882434,845	6550868,899
			5882437,743	6550871,721
		PLK	5882436,276	6550870,293
		SŁK	5882437,603	6550871,823
		KŁK	5882438,653	6550873,555
			5882449,055	6550894,514
		PLK	5882447,578	6550891,538
		SŁK	5882449,338	6550894,286
		KŁK	5882451,650	6550896,588
			5882510,303	6550943,457
		PLK	5882455,309	6550899,512
		SŁK	5882512,480	6550939,964
		KŁK	5882573,975	6550973,480
			5882579,424	6550976,049
			5882724,217	6551042,852
			5882746,000	6551052,901
			5882972,000	6551157,173
		PLK	5882971,328	6551156,863
		SŁK	5882972,004	6551157,163
		KŁK	5882972,689	6551157,443
			5882981,867	6551161,035
		PLK	5882981,268	6551160,800
		SŁK	5882981,864	6551161,043
		KŁK	5882982,453	6551161,300
			5883020,583	6551178,536
			5883071,380	6551201,916
			5883245,264	6551282,407

Elementy trasy

ODCINEK A-B						
ELEMENT	OD	DO				
Prosta	0+000,00	0+005,31	L=5,31m			
Prosta	0+005,31	0+018,91	L=13,60m			
Prosta	0+018,91	0+060,18	L=41,27m			
Prosta	0+060,18	0+082,22	L=22,04m			
Łuk kołowy	0+082,22	0+091,85	R=100,00m	T=4,82m	B=0,12m	
			L=9,64m	g=0,0964rd	g=6,1346g	
Prosta	0+091,85	0+134,38	L=42,53m			
Prosta	0+134,38	0+156,27	L=21,89m			
Prosta	0+156,27	0+199,09	L=42,81m			
Prosta	0+199,09	0+219,49	L=20,40m			
Łuk kołowy	0+219,49	0+312,24	R=500,00m	T=46,51m	B=2,16m	
			L=92,75m	g=0,1855rd	g=11,8089g	
Prosta	0+312,24	0+317,06	L=4,82m			
Łuk kołowy	0+317,06	0+319,78	R=10,00m	T=1,37m	B=0,09m	
			L=2,72m	g=0,2717rd	g=17,2993g	
Prosta	0+319,78	0+332,51	L=12,73m			
Łuk kołowy	0+332,51	0+338,78	R=6,00m	T=3,46m	B=0,92m	
			L=6,27m	g=1,0452rd	g=66,5387g	
Prosta	0+338,78	0+339,30	L=0,52m			

ODCINEK C-D						
ELEMENT	OD	DO				
Prosta	0+000,00	0+008,09	L=8,09m			
Prosta	0+008,09	0+076,32	L=68,23m			
Prosta	0+076,32	0+095,26	L=18,94m			
Prosta	0+095,26	0+162,08	L=66,82m			
Prosta	0+162,08	0+193,55	L=31,47m			
Prosta	0+193,55	0+215,54	L=21,99m			
Łuk kołowy	0+215,54	0+270,49	R=500,00m	T=27,50m	B=0,76m	
			L=54,94m	g=0,1099rd	g=6,9955g	
Prosta	0+270,49	0+270,73	L=0,24m			
Łuk kołowy	0+270,73	0+298,55	R=500,00m	T=13,92m	B=0,19m	
			L=27,82m	g=0,0556rd	g=3,5426g	
Prosta	0+298,55	0+313,24	L=14,69m			
Łuk kołowy	0+313,24	0+317,32	R=4,00m	T=2,24m	B=0,58m	
			L=4,08m	g=1,0201rd	g=64,9402g	
Prosta	0+317,32	0+323,51	L=6,19m			
Łuk kołowy	0+323,51	0+329,26	R=6,00m	T=3,11m	B=0,76m	
			L=5,74m	g=0,9575rd	g=60,9536g	
Prosta	0+329,26	0+329,57	L=0,32m			

ODCINEK E-F						
ELEMENT	OD	DO				
Prosta	0+000,00	0+002,00	L=2,00m			
Łuk kołowy	0+002,00	0+006,05	R=12,00m	T=2,05m	B=0,17m	
			L=4,06m	g=0,3380rd	g=21,5182g	
Prosta	0+006,05	0+026,13	L=20,08m			
Łuk kołowy	0+026,13	0+032,67	R=15,00m	T=3,32m	B=0,36m	
			L=6,54m	g=0,4359rd	g=27,7522g	
Prosta	0+032,67	0+037,35	L=4,68m			
Łuk kołowy	0+037,35	0+177,50	R=600,00m	T=70,40m	B=4,12m	
			L=140,15m	g=0,2336rd	g=14,8704g	
Prosta	0+177,50	0+183,53	L=6,02m			
Prosta	0+183,53	0+342,99	L=159,46m			
Prosta	0+342,99	0+366,98	L=23,99m			
Prosta	0+366,98	0+615,13	L=248,15m			
Łuk kołowy	0+615,13	0+616,61	R=25,00m	T=0,74m	B=0,01m	
			L=1,48m	g=0,0592rd	g=3,7689g	
Prosta	0+616,61	0+625,82	L=9,21m			
Łuk kołowy	0+625,82	0+627,11	R=25,00m	T=0,64m	B=0,01m	
			L=1,29m	g=0,0515rd	g=3,2767g	
Prosta	0+627,11	0+668,95	L=41,84m			
Prosta	0+668,95	0+724,87	L=55,92m			
Prosta	0+724,87	0+916,48	L=191,61m			