

## Informacja o optymalnej technologii pozyskania drewna (potencjał)

## Pakiet: 7 - L. Sarby, St

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Sarby	13-02-1-09- - -	PR			377	100	377
Sarby	13-02-1-09- - -	PTP			150	100	150
Sarby	13-02-1-09- - -	PTW			45	100	45
Sarby	13-02-1-09-161 -g -00	IIIBU			795	100	795
Sarby	13-02-1-09-161 -h -00	IIIA			82	100	82
Sarby	13-02-1-09-162A -l -00	TWP			100	100	100
Sarby	13-02-1-09-163A -d -00	IIIB			225	100	225
Sarby	13-02-1-09-164A -c -00	TWP			116	100	116
Sarby	13-02-1-09-164A -d -00	TWP			30	100	30
Sarby	13-02-1-09-168 -k -00	IIBU			151	100	151
Sarby	13-02-1-09-171A -b -00	IC			72	100	72
Sarby	13-02-1-09-173 -a -00	TPP			182	100	182
Sarby	13-02-1-09-173 -d -00	IB			829	100	829
Sarby	13-02-1-09-173 -g -00	TPP			30	100	30
Sarby	13-02-1-09-173 -j -00	TPP			62	100	62
Sarby	13-02-1-09-173 -m -00	TPP			82	100	82
Sarby	13-02-1-09-177 -a -00	IVDU			1 023	100	1 023
Sarby	13-02-1-09-254 -b -99	TPP			27	100	27
Sarby	13-02-1-09-254 -d -00	TPP			73	100	73
Sarby	13-02-1-09-254 -f -00	TPP			310	100	310
Sarby	13-02-1-09-255 -b -00	TPP			42	100	42
Sarby	13-02-1-09-255 -f -00	TPP			163	100	163
Sarby	13-02-1-09-257 -a -00	TPP			95	100	95
Sarby	13-02-1-09-257 -c -00	TPP			150	100	150
Sarby	13-02-1-09-257 -d -00	TPP			85	100	85
Sarby	13-02-1-09-257 -f -00	TPP			104	100	104
Strachów	13-02-1-05- - -	PR			148	100	148
Strachów	13-02-1-05- - -	PTP			113	100	113
Strachów	13-02-1-05- - -	PTW			29	100	29
Strachów	13-02-1-05-111 -a -00	IIIBU			151	100	151
Strachów	13-02-1-05-118 -a -00	IVDU			301	100	301
Strachów	13-02-1-05-118 -c -00	TPP			135	100	135
Strachów	13-02-1-05-119 -b -00	TWP			15	100	15
Strachów	13-02-1-05-125 -a -00	TPP			250	100	250
Strachów	13-02-1-05-125 -b -00	TPP			105	100	105
Strachów	13-02-1-05-125 -c -00	TPP			60	100	60
Strachów	13-02-1-05-126 -c -00	IIIB			342	100	342

## Informacja o optymalnej technologii pozyskania drewna (potencjał)

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Strachów	13-02-1-05-130 -d -00	TPP			93	100	93
Strachów	13-02-1-05-139 -d -00	IIIBU			36	100	36
Strachów	13-02-1-05-141 -c -00	TPP			195	100	195
Strachów	13-02-1-05-143 -b -00	TWP			100	100	100
Strachów	13-02-1-05-144 -i -00	IIIB			156	100	156
Strachów	13-02-1-05-145 -a -00	IVD			125	100	125
		<b>Suma:</b>			<b>7 754</b>	<b>100</b>	<b>7 754</b>