

## Informacja o optymalnej możliwej do zastosowania technologii pozyskania drewna

## Pakiet: 6

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Gułów	17-07-1-04- - -	PR			400	100	400
Gułów	17-07-1-04- - -	PTP			80	100	80
Gułów	17-07-1-04- - -	PTW			20	100	20
Gułów	17-07-1-04-149 -f -00	IIIA	216	62	133	38	349
Gułów	17-07-1-04-155 -a -00	IIIAU	967	81	220	19	1 187
Gułów	17-07-1-04-156 -f -00	TPP			36	100	36
Gułów	17-07-1-04-156 -g -00	TPP			35	100	35
Gułów	17-07-1-04-157 -a -00	IIIAU	834	76	265	24	1 099
Gułów	17-07-1-04-157 -d -00	CP-P			2	100	2
Gułów	17-07-1-04-163 -a -99	IIIA	247	64	138	36	385
Gułów	17-07-1-04-163 -c -00	IVDU	1 203	68	559	32	1 762
Gułów	17-07-1-04-166 -b -00	PRZEST			17	100	17
Gułów	17-07-1-04-183 -d -00	CP-P			58	100	58
Gułów	17-07-1-04-185 -b -00	CP-P			2	100	2
Gułów	17-07-1-04-188 -h -00	IIIBU	672	46	796	54	1 468
Gułów	17-07-1-04-190 -d -00	TPN	450	66	230	34	680
Gułów	17-07-1-04-197 -b -00	CP-P			2	100	2
Gułów	17-07-1-04-212 -b -00	TPP			61	100	61
Gułów	17-07-1-04-212 -c -00	TPP			74	100	74
Gułów	17-07-1-04-212 -d -00	TPP			375	100	375
Gułów	17-07-1-04-212 -f -00	TPP			40	100	40
Wojcieszków	17-07-1-03- - -	PR			440	100	440
Wojcieszków	17-07-1-03- - -	PTP			240	100	240
Wojcieszków	17-07-1-03- - -	PTW			50	100	50
Wojcieszków	17-07-1-03-122 -b -00	CP-P			40	100	40
Wojcieszków	17-07-1-03-124 -k -00	TWP			60	100	60
Wojcieszków	17-07-1-03-125 -b -00	IIIAU	429	59	298	41	727
Wojcieszków	17-07-1-03-139 -b -00	TPP	59	49	61	51	120
Wojcieszków	17-07-1-03-139 -d -00	TWP	70	66	36	34	106
Wojcieszków	17-07-1-03-139 -f -00	TPP	26	72	10	28	36
Wojcieszków	17-07-1-03-139 -i -00	TPP			49	100	49
Wojcieszków	17-07-1-03-140 -b -00	IIIAU	553	68	259	32	812
		<b>Suma:</b>	<b>5 726</b>	<b>53</b>	<b>5 086</b>	<b>47</b>	<b>10 812</b>