



























































ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St3SX	B500SP		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Płyta	1		-	16	1130.0	-	29	327.7	517.2	Σ= 9261.3
	2		-	16	1100.0	-	8	88.0	138.9	
	3		-	16	790.0	-	29	229.1	361.6	
	4		-	16	635.0	-	33	209.6	330.7	
	5		-	16	620.0	-	32	198.4	313.1	
	6		-	16	570.0	-	44	250.8	395.8	
	7		-	16	565.0	-	152	858.8	1355.5	
	8		-	16	560.0	-	112	627.2	989.9	
	9		-	16	555.0	-	29	161.0	254.0	
	10		-	16	550.0	-	109	599.5	946.2	
	11		-	16	545.0	-	17	92.7	146.2	
	12		-	16	520.0	-	20	104.0	164.1	
	13		-	16	515.0	-	20	103.0	162.6	
	14		-	16	445.0	-	58	258.1	407.4	
	15		-	16	425.0	-	58	246.5	389.1	
	16		-	16	395.0	-	19	75.1	118.5	
	17		-	16	385.0	-	51	196.4	309.9	
	18		-	16	380.0	-	53	201.4	317.9	
	19		-	16	355.0	-	84	298.2	470.7	
	20		-	16	345.0	-	74	255.3	402.9	
	21		-	16	315.0	-	87	274.1	432.5	
	22		-	16	265.0	-	29	76.9	121.3	
	23		-	16	235.0	-	58	136.3	215.1	

ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	$\Phi$	$\Phi$	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St3SX	B500SP		na 1 el.	na $\Sigma$ el.			
1	2	3	4	5	6	7	8	9	10	11
Płyta	24		-	16	230.0	-	21	48.3	76.2	$\Sigma = 3286.8$
	25		-	16	225.0	-	58	130.5	206.0	
	26		-	16	140.0	-	31	43.4	68.5	
	27		-	12	1105.0	-	29	320.5	284.5	
	28		-	12	1100.0	-	8	88.0	78.1	
	29		-	12	790.0	-	29	229.1	203.4	
	30		-	12	660.0	-	16	105.6	93.8	
	31		-	12	650.0	-	8	52.0	46.2	
	32		-	12	635.0	-	17	108.0	95.8	
	33		-	12	625.0	-	8	50.0	44.4	
	34		-	12	620.0	-	17	105.4	93.6	
	35		-	12	570.0	-	23	131.1	116.4	
	36		-	12	565.0	-	78	440.7	391.3	
	37		-	12	560.0	-	57	319.2	283.4	
	38		-	12	555.0	-	29	161.0	142.9	
	39		-	12	550.0	-	56	308.0	273.4	
	40		-	12	545.0	-	9	49.1	43.5	
	41		-	12	535.0	-	58	310.3	275.5	
	42		-	12	520.0	-	20	104.0	92.3	
	43		-	12	490.0	-	20	98.0	87.0	
	44		-	12	445.0	-	29	129.1	114.6	
	45		-	12	425.0	-	29	123.3	109.4	
	46		-	12	395.0	-	19	75.1	66.6	

2021-09-30		SPECYFIKACJA DO RYSUNKU NR:		K3					3 / 3	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			St3SX	B500SP		na 1 el.	na Σ el.			
1	2	3	4	5	6	7	8	9	10	11
Płyta	47		-	12	385.0	-	26	100.1	88.9	Σ= 1190.2
	48		-	12	380.0	-	27	102.6	91.1	
	49		-	12	355.0	-	43	152.7	135.5	
	50		-	12	345.0	-	47	162.2	144.0	
	51		-	12	315.0	-	65	204.8	181.8	
	52		-	12	265.0	-	29	76.9	68.2	
	53		-	12	235.0	-	29	68.2	60.5	
	54		-	12	230.0	-	21	48.3	42.9	
	55		-	12	225.0	-	29	65.3	57.9	
	56		-	12	180.0	-	56	100.8	89.5	
	57		-	12	145.0	-	56	81.2	72.1	
	58		-	12	140.0	-	127	177.8	157.9	