

## Informacja o optymalnej możliwej do zastosowania technologii pozyskania drewna

## Pakiet: 9/2022

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Nielub	12-07-2-12- - -	PR			190	100	190
Nielub	12-07-2-12- - -	PTP			305	100	305
Nielub	12-07-2-12- - -	PTW			120	100	120
Nielub	12-07-2-12-43 -a -00	TPP			100	100	100
Nielub	12-07-2-12-44 -n -00	TPP			183	100	183
Nielub	12-07-2-12-49C -x -00	CP-P			11	100	11
Nielub	12-07-2-12-49C -y -00	CP-P			5	100	5
Nielub	12-07-2-12-50 -p -00	TPP			37	100	37
Nielub	12-07-2-12-51 -f -00	CP-P			11	100	11
Nielub	12-07-2-12-51 -g -00	TPP			183	100	183
Nielub	12-07-2-12-51 -h -00	TPP			75	100	75
Nielub	12-07-2-12-51 -j -00	TPP			55	100	55
Nielub	12-07-2-12-52 -a -00	TPP			81	100	81
Nielub	12-07-2-12-53 -a -00	TPP			66	100	66
Nielub	12-07-2-12-53 -d -00	TPP			42	100	42
Nielub	12-07-2-12-53 -o -00	TWP			48	100	48
Nielub	12-07-2-12-54 -a -00	TPP			169	100	169
Nielub	12-07-2-12-54 -b -00	TWP			420	100	420
Nielub	12-07-2-12-55A -c -00	TPP			16	100	16
Nielub	12-07-2-12-55A -d -00	TPP	126	100			126
Nielub	12-07-2-12-60 -c -00	IIIB			90	100	90
Nielub	12-07-2-12-64 -c -00	IVD			634	100	634
Wronie	12-07-2-13- - -	PR			72	100	72
Wronie	12-07-2-13- - -	PTP			216	100	216
Wronie	12-07-2-13- - -	PTW			55	100	55
Wronie	12-07-2-13-15 -b -00	CP-P			8	100	8
Wronie	12-07-2-13-1 -b -00	IIBU			334	100	334
Wronie	12-07-2-13-1 -d -00	IIBU			214	100	214
Wronie	12-07-2-13-26 -g -00	TWP			30	100	30
Wronie	12-07-2-13-27 -a -00	TWP			34	100	34
Wronie	12-07-2-13-27 -c -00	TPP			23	100	23
Wronie	12-07-2-13-27 -d -00	TWP			33	100	33
Wronie	12-07-2-13-27 -h -00	TPP			37	100	37
Wronie	12-07-2-13-28 -a -00	TPP			66	100	66
Wronie	12-07-2-13-28 -c -00	TWP			23	100	23
Wronie	12-07-2-13-29 -b -00	IIIB			235	100	235
Wronie	12-07-2-13-29 -c -00	TPP			26	100	26

## Informacja o optymalnej możliwej do zastosowania technologii pozyskania drewna

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Wronie	12-07-2-13-2 -s -00	IIIAU			163	100	163
Wronie	12-07-2-13-2 -x -00	IIIBU			123	100	123
Wronie	12-07-2-13-2 -y -00	IIIAU	297	89	35	11	332
Wronie	12-07-2-13-31 -c -00	TWP			38	100	38
Wronie	12-07-2-13-32 -b -00	TPP			48	100	48
Wronie	12-07-2-13-32 -m -00	TPP			200	100	200
Wronie	12-07-2-13-33 -f -00	TPP			170	100	170
Wronie	12-07-2-13-34 -d -00	TWP			163	100	163
Wronie	12-07-2-13-35 -b -00	TPP			69	100	69
Wronie	12-07-2-13-35 -h -00	TWP			19	100	19
Wronie	12-07-2-13-37 -k -00	TPP			140	100	140
Wronie	12-07-2-13-37 -l -00	TWP			16	100	16
Wronie	12-07-2-13-40 -a -00	TPP			43	100	43
Wronie	12-07-2-13-40 -c -00	CP-P			32	100	32
Wronie	12-07-2-13-49A -g -00	TPP	270	100			270
		<b>Suma:</b>	<b>693</b>	<b>11</b>	<b>5 506</b>	<b>89</b>	<b>6 199</b>