

REGISTRATION REPORT

Part B

Section 0

Product Background, Regulatory Context and
GAP information

Product code: CA3573

Product name(s): Carnadine/Kestrel

Chemical active substance:

Acetamiprid, 200 g/L

Central Zone

Zonal Rapporteur Member State: Poland

CORE ASSESSMENT

(Re-authorisation acc. to Art. 43)

Applicant: Nufarm Europe GmbH

Submission date: July 2020

MS Finalisation date: May 2021 (initial Core Assessment)

November 2021, January 2022 (final Core Assessment)

Version history

When	What
July 2020	Version 1.0 (application)
May 2021	Evaluation by the zRMS (re-authorization) The report in the dRR format has been prepared by the Applicant, therefore all comments, additional evaluations and conclusions of the zRMS are presented in grey commenting boxes. Minor changes are introduced directly in the text and highlighted in grey. Not agreed or not relevant information are struck through and shaded for transparency .
November 2021	Core Assessment updated following the commenting period with consideration of additional information in area of ecotoxicology provided by the Applicant in August 2021 and November 2021. Additional information/assessments included by the zRMS in the report in response to comments recieved from the cMS and the Applicant are highlighted in yellow. Information not relevant anymore is struck through and shaded.
January 2022	Final report (Core Assessment after additional round of the commenting period) No additional information or assessments after the commenting period.

Table of Contents

0	Product background, regulatory context and GAP information	4
0.1	Introduction	4
0.1.1	Reason for application	4
0.1.2	Details of zRMS(s) and concerned MS	5
0.1.3	Regulatory history of the active(s)	5
0.1.4	Regulatory history of the product (if relevant)	6
0.2	zRMS conclusion.....	6
Appendix 1	ALL intended uses	8

0 Product background, regulatory context and GAP information

0.1 Introduction

0.1.1 Reason for application

This application is submitted for the re-authorization of the product CA3573, formulated as a soluble concentrate (SL) containing 200 g/L Acetamiprid, for the use as an insecticide for apple, potato, oilseed rape and maize.

This application is submitted to Poland, as the zRMS, and Slovakia.

The product was first registered by Adama ADAMA Makhteshim Ltd. under the product code MCW-2222. Poland was zRMS for this registration.

The two products are identical. Therefore all studies conducted with MCW-2222 can be used for CA3573, without any restrictions. Further details are given in Part C.

The active substance Acetamiprid was included in Annex I of Council Directive 91/414/EEC (Commission Directive 2004/99/EC of 01 October 2004). This active substance is approved under Regulation (EC) 1107/2009 (repealing Commission Directive 91/414/EEC) as specified in Commission Implementing Regulation (EU) No. 540/2011 of 25 May 2011.

The date of expiry of approval was set at 31 December 2014. The Commission Implementing Regulation (EU) No. 1197/2012 extended the date of expiry of approval to 30 April 2017. With Commission Implementing Regulation (EU) 2016/2016 the expiry date was extended for the second time to 30 April 2018. The dossier for renewal of authorization of Acetamiprid was submitted to the Netherlands and Spain acting as RMS and co-RMS in 2014. The applicant was Nisso Chemical Europe GmbH. The EFSA Conclusion for Acetamiprid was published on 11 November 2016 (EFSA, 2016).

In accordance with Regulation (EC) No. 1107/2009 of the European Parliament and of the Council concerning the placing of plant protection products on the market, and amending the Annex to Commission Implementing Regulation (EU) No 540/2011 the approval of the active substances Acetamiprid was renewed on 24 January 2018 via Commission Implementing Regulation (EU) 2018/113 until 28 February 2033.

The product CA3573 was not the representative formulation in context with the renewal of the active substance. The applicant is owner of the data submitted for re-authorization of the product CA3573 (former MCW-2222).

This application follows the data requirements for the active substance laid down in Regulation (EC) No. 283/2013 and the data requirements for the plant protection product laid down in Regulation (EC) No. 284/2013.

0.1.2 Details of zRMS(s) and concerned MS

Table 0.1-1: Overview of zRMS and cMS

	zRMS, product name and authorization no. (if relevant)	(if relevant) Concerned MS, MS' product name and authorization number (if applicable)
Northern zone	n.a.	n.a.
Central zone	PL: Kestrel200 SL (authorization no. 106/2018) PL: Carnadine 200 SL (reg No R-157/2018)	SK: Carnadine (authorization no. 19-00504-AU)
Southern zone	IT: Kestrel (authorization no. 16690)	ES: Carnadine (authorization no. ES-00629 reg) PT: Carnadine (authorization no. 1175) GR: Carnadine (authorization no. 14661)
Inter-zonal	IT: Kestrel (authorization no. 16690)	ES: Carnadine (authorization no. ES-00629 reg) GR: Carnadine (authorization no. 14661) PT: Carnadine (authorization no. 1175)

0.1.3 Regulatory history of the active(s)

Table 0.1-2: Summary of regulatory history of CAS No: 35410-20-7

Status	
Approved in EU	Y
Original Inclusion Directive or Commission Implementing Regulation	Commission Implementing Regulation (EU) No 2018/113
RMS	NL
Date of Approval (or most recent renewal) of Active Substance (date of Regulation to be applied)	01.03.2018
Date of first Commission (re-registration) deadline (Step 1) or date of deadline for renewal of authorization (renewal)	28.02.2030
Date of final Commission (re-registration) deadline (Step 2)	28.05.2033
Current expiration of approval	28.02.2033
Low risk substance or Candidate for Substitution?	N/A

Issues that need to be considered as part of the EU approval are listed below.

In this overall assessment Member States must pay particular attention to:

- the risk to aquatic organisms, bees and other non-target arthropods
- the risk to birds and mammals,
- the risk to consumers,
- the risk to operators.

The SANTE report for acetamiprid (SANTE/10502/2017 Rev 4 – 13/12/2017) is considered to provide the relevant information on the evaluation or a reference to where such information can be found. An EFSA Scientific Report was made available on 11/11/2016.

Table 0.1-3: Information on minimum purity of acetamiprid

EU agreed minimum purity from Inclusion Directive or Implementing regulation	(if different) Minimum purity of active substance used in the product / information on available equivalency report *, **
≥ 990 g/kg	--

* Since EU approval new studies on the active substance have been performed (e.g. new manufacturing site, new specification) and as a result the purity of the active substance has changed (see Part C).

** If the specification of the active substance is different to that used as reference specification for EU approval then please refer to the equivalency document from the RMS.

All endpoints are listed in the EFSA Conclusion for Acetamiprid (EFSA, 2016). No deviation of endpoints is applicable.

0.1.4 Regulatory history of the product (if relevant)

The following table provides corresponding information of product codes, product names and authorizations in different EU Member States.

Table 0.1-4: Summary of regulatory history of the product CA3573

Product code	Product name(s)	MS	Authorization No.	Date of initial registration	Date of the last re-registration
CA3573	Carnadine	ES	ES-00629 reg	24.05.2018	
CA3573	Carnadine	GR	14661	31.05.2018	-
CA3573	Kestrel	IT	16690	07.02.2018	-
CA3573	Carnadine 200 SL	PL	R-157/2018	10.10.2018	
CA3573	Kestrel200 SL	PL	R-106/2018	28.05.2018	
CA3573	Carnadine	PT	1175	27.04.2018 revised 04.06.2019 (LEx olives)	
CA3573	Carnadine	SK	19-00504-AU	05.04.2019	

CA3573 was not the representative formulation during the renewal process of Acetamiprid.

0.2 zRMS conclusion

For the overview of accepted uses see the Complete GAP table in Appendix 1 of this document.
For detailed information see the GAP tables in the individual relevant sections.

Uses to be considered safe on the basis of EU methodology:

See column 15 of the Complete GAP table presented in Appendix 1 of this document.

Uses to be considered non-safe on the basis of EU methodology:

See column 15 of the Complete GAP table presented in Appendix 1 of this document.

Uses for which safety has been established only following additional risk mitigation at a national (non-core) level or for which the evaluation is to be confirmed by relevant CMS:

See column 15 of the Complete GAP table presented in Appendix 1 of this document.

All uses/ GAPs are covered by established MRLs for uses in apples, potatoes, oilseed rape and maize in Central Zone.

Additional information regarding B9 section:

For detailed information regarding restrictions of use or risk mitigation measures resulting from evaluation performed in area of ecotoxicology, please refer to the Core Assessment, Part B, Section 9, since due to the limited space in GAP table below, it was not possible to provide all relevant explanations.

Reference list:

Official Journal of the European Union, 2009: Regulations, Regulation (EC) No 1107/2009 of the European parliament and of the council (21 October 2009)

Official Journal of the European Union, 2012: Commission Implementing Regulation (EU) No 1197/2012 (13 December 2012)

Official Journal of the European Union, 2016: Commission Implementing Regulation (EU) No 2016/2016 (17 November 2016)

EFSA (European Food Safety Authority), Conclusion on the peer review of the pesticide risk assessment of the active substance acetamiprid. EFSA Journal 2016;14(11):4610 (published 17 October 2016)

EUROPEAN COMMISSION, Final Renewal Report, SANTE/10502/2017 rev 4 (13 December 2017)

Official Journal of the European Union, 2018: Commission Implementing Regulation (EU) 2018/113 (24 January 2018)

Appendix 1 ALL intended uses

PPP (product name/code): Carnadine / Kestrel / CA3573
Active substance 1: Acetamiprid
Safener: None
Synergist: None
Applicant: Nufarm Europe GmbH
Zone(s): Central
Verified by MS: Yes
Field of use: Insecticide

GAP rev. 1, date: 2022-01

Formulation type: SL
Conc. of as 1: 200 g/L
Conc. of safener: - (c)
Conc. of synergist: - (c)
Professional use: ☒
Non professional use: ☐

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15*							
Use- No. ^(e)	Member state(s)	Crop and/ or situation (crop destination / purpose of crop)	F, Fn, G, Gn, Gpn or I	Pests or Group of pests controlled (additionally: developmental stages of the pest or pest group)	Application				Application rate			PHI (days)	Remarks: e.g. g safener/synergist per ha (⁽ⁱ⁾)	Overall conclusions							
					Method / Kind	Timing / Growth stage of crop & season	Max. number a) per use b) per crop/ season	Min. interval between applications (days)	kg or L product / ha a) max. rate per appl. b) max. total rate per crop/season	g or kg as/ha a) max. rate per appl. b) max. total rate per crop/season	Water L/ha min / max			Phys-chem	Analytical methods	Toxicology	Residues	Fate & behaviour	Ecotoxicology	Relevance of metabolites in groundwater	Efficacy
Zonal uses (field or outdoor uses, certain types of protected crops)																					
1	PL	Apple (MABSD)	F	<i>Aphis</i> sp. (APHISP)	Foliar spraying overall	May-Oct/ BBCH 70- PHI BBCH 62- PHI	a) 1 b) 1	--	a) 0.125 b) 0.125	a) 25 b) 25	500- 900	14	Do not apply during flowering (application from BBCH 70); max dose rate 0.077 L/ha LWA^A ; max dose rate 0.046 L/ha/m CH^B	A	A	R Gloves during mixM/L&A	A	A	R Aquatics, bees, NTTA	A	A
2	PL	Apple (MABSD)	F	<i>Cydia pomonella</i> (CARPPO)	Foliar spraying overall	May-Oct/ BBCH 70- PHI	a) 1 b) 1	--	a) 0.25 b) 0.25	a) 50 b) 50	500- 900	14	Do not apply during flowering (application from	A	A	R Gloves during mixM/L&A	A	A	C Mammals	A	A

						BBCH-62-PHI							BBCH 70); max dose rate 0.154 L/ha LWA^A ; max dose rate 0.093 L/ha/m CH^B						R Aquatics, bees, NTTA				
3	PL	Potato (SOLTU)	F	<i>Leptinotarsa decemlineata</i> (LPTNDE)	foliar spraying, overall	Jun-Sep/BBCH 20-79 BBCH-12-79	a) 1 b) 1	--	a) 0.18 b) 0.18	a) 36 b) 36	200-400	7	In label 0.12 – 0.18 L/ha Restriction of the application period due to unacceptable risk to soil organisms at BBCH 12-19	A	A	R Gloves during mixM/L&A	A	A	R Soil macro-and meso-fauna	A	A		
																			A Remaining groups of non-target species				
4	PL	Winter oilseed rape (BRSNN)	F	<i>Meligethes aeneus</i> <i>Brassicogethes aeneus</i> (MELIAE)	foliar spraying, overall	May-Jun/BBCH 50-60	a) 1 b) 1	--	a) 0.25 0.3 b) 0.25 0.3	a) 50 60 b) 50 60	200-400	28	In label 0.18 – 0.25 0.3 L/ha Application in the evening, after the bee flight <i>Do not apply during flowering</i>	A	A	R Gloves during mixM/L&A	A	A	A mammals	R Aquatics, bees	A Remaining groups of non-target species	A	A
5	PL	Winter oilseed rape (BRSNN)	F	<i>Dasineura brassicae</i> (DASYBR) <i>Ceutorhynchus obstrictus</i> (syn <i>C. assimilis</i>) (CEUTAS)	foliar spraying, overall	May-Jun/BBCH 61-71	a) 1 b) 1	--	a) 0.25 0.3 b) 0.25 0.3	a) 50 60 b) 50 60	200-400	28	In label 0.15 – 0.25 0.3 L/ha Application in the evening, after the bee flight <i>Do not apply during flowering</i>	A	A	R Gloves during mixM/L&A	A	A	A mammals	R Aquatics, bees	A Remaining groups of non-target species	A	A
6	PL	Winter oilseed rape (BRSNN)	F	<i>Ceutorhynchus napi</i> (CEUTNA)	foliar spraying, overall	Mar-Jun/BBCH 31-39	a) 1 b) 1	--	a) 0.25 0.3 b) 0.25 0.3	a) 50 60 b) 50 60	200-400	28	In label 0.15 – 0.25 0.3 L/ha Application in the evening, after	A	A	R Gloves during mixM/L&A	A	A	A mammals	R Aquatics, bees		A	A

													the bee flight Do not apply during flowering					A Remaining groups of non-target species			
7	PL	Winter oilseed rape (BRSNN)	F	<i>Ceutorhynchus pallidactylus</i> (<i>C. quadridens</i>) (CEUTQU)	foliar spraying, overall	Mar-Jun/ BBCH 31-59	a) 1 b) 1	--	a) 0.25 0-3 b) 0.25 0-3	a) 50 60 b) 50 60	200-400	28	In label 0.15 – 0.25 0-3 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
																		R Aquatics, bees			
																		A Remaining groups of non-target species			
8	PL	Spring oilseed rape (BRSNN)	F	<i>Ceutorhynchus pallidactylus</i> (<i>C. quadridens</i>) (CEUTQU)	foliar spraying, overall	Mar-Jun/ BBCH 31-59	a) 1 b) 1	--	a) 0.25 0-3 b) 0.25 0-3	a) 50 60 b) 50 60	200-400	28	In label: 0.15- 0.25 0-3 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
																		R Bees			
																		A Remaining groups of non-target species			
9	PL	Spring oilseed rape (BRSNN)	F	<i>Meligethes aeneus</i> <i>Brassicogethes aeneus</i> (MELIAE)	foliar spraying, overall	Apr-Jun/ BBCH 50.-60	a) 1 b) 1	--	a) 0.25 0-3 b) 0.25 0-3	a) 50 60 b) 50 60	200-400	28	In label: 0.18- 0.25 0-3 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
																		R Bees			
																		A Remaining groups of non-target species			

10	PL	Spring oilseed rape (BRSNN)	F	<i>Ceutorhynchus assimilis</i> (CEUTAS) <i>Dasineura brassicae</i> (DASYBR)	foliar spraying, overall	BBCH 61-71	a) 1 b) 1	--	a) 0.25 b) 0.25	a) 50 b) 50	200-400	28	In label: 0.2-0.25 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
11	SK	Apple (MABSD)	F	Aphis sp. (APHISP)	foliar spraying, overall	May-Oct/ BBCH 70- PHI BBCH 62- PHI	a) 1 b) 1	--	a) 0.125 b) 0.125	a) 25 b) 25	500-1000	14	In label: 0.09-0.125 L/ha Do not apply during flowering (application from BBCH 70); max dose rate 0.145 L/ha LWA ^A ; Max dose rate 0.058 L/ha/m CH ^B	A	A	R Gloves during mixM/L&A	A	A	R Aquatics, bees, NTTA	A	A
12	SK	Apple (MABSD)	F	Cydia pomonella (CARPPO)	Foliar spraying overall	May-Oct/ BBCH 70- PHI BBCH 62- PHI	a) 1 b) 1	--	a) 0.25 b) 0.25	a) 50 b) 50	500-1000	14	Do not apply during flowering (application from BBCH 70); max dose rate 0.289 L/ha LWA ^A ; max dose rate 0.116 L/ha/m CH ^B	A	A	R Gloves during mixM/L&A	A	A	C Mammals	A	A
13	SK	Potato (SOLTU)	F	<i>Leptinotarsa decemlineata</i> (LPTNDE)	foliar spraying, overall	Jun-Sep/ BBCH 20- 79 BBCH 42-	a) 1 b) 1	--	a) 0.18 b) 0.18	a) 36 b) 36	200-400	7	In label: 0.12-0.18 L/ha Restriction of the application	A	A	R Gloves during mixM/L&A	A	A	R Soil macro- and meso-fauna	A	A

						79							period due to unacceptable risk to soil organisms at BBCH 12-19						A Remaining groups of non-target species		
14	SK	Winter oilseed rape (BRSNN)	F	<i>Ceutorhynchus napi</i> (CEUTNA) <i>Ceutorhynchus pallidactylus</i> (<i>C. quadridens</i>) (CEUTQU)	foliar spraying, overall	Mar-Jun/ BBCH 31-69	a) 1 b) 1	--	a) 0.25 0-3 b) 0.25 0-3	a) 50 60 b) 50 60	200-400	28	In label: 0.15-0.25 0-3 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
																			R Aquatics, bees		
																			A Remaining groups of non-target species		
15	SK	Winter oilseed rape (BRSNN)	F	<i>Meligethes aeneus</i> <i>Brassicogethes aeneus</i> (MELIAE) <i>Dasineura brassicae</i> (DASYBR)	foliar spraying, overall	Mar-Jun/ BBCH 31-71	a) 1 b) 1	--	a) 0.25 0-3 b) 0.25 0-3	a) 50 60 b) 50 60	200-400	28	In label: 0.18-0.25 0-3 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
																			R Aquatics, bees		
																			A Remaining groups of non-target species		
16	SK	Winter oilseed rape (BRSNN)	F	<i>Ceutorhynchus obstrictus</i> (<i>C. assimilis</i>) (CEUTAS) <i>Ceutorhynchus napi</i> (CEUTNA) <i>Ceutorhynchus pallidactylus</i> (<i>C. quadridens</i>) (CEUTQU)	foliar spraying, overall	May-Jun/ BBCH 31-71	a) 1 b) 1	--	a) 0.25 0-3 b) 0.25 0-3	a) 50 60 b) 50 60	200-400	28	In label: 0.15-0.25 0-3 L/ha Application in the evening, after the bee flight Do not apply during flowering	A	A	R Gloves during mixM/L&A	A	A	A mammals	A	A
																			R Aquatics, bees		

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

													unacceptable risk to small herbivorous mammals at 0.3 L/ha						A Remaining groups of non-target species		
20	SK	Maize (ZEAMX)	F	<i>Ostrinia nubilalis</i> (PYRUNU)	foliar spraying, overall	Apr-Aug/ BBCH 51-75	a) 1 b) 1	--	a) 0.28 0-3 b) 0.28 0-3	a) 56 60 b) 56 60	300-500	56	In label: 0.28 0-3 L/ha Reduction of rate due to unacceptable risk to small herbivorous mammals at 0.3 L/ha	A	A	R Gloves during mixM/L&A	A	A	R Mammals	A	A
													unacceptable risk to small herbivorous mammals at 0.3 L/ha						A Remaining groups of non-target species		

Remarks table heading:	(a)	e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR)
	(b)	Catalogue of pesticide formulation types and international coding system CropLife International Technical Monograph n°2, 6th Edition Revised May 2008
	(c)	g/kg or g/l

(d)	Select relevant
(e)	Use number(s) in accordance with the list of all intended GAPs in Part B, Section 0 should be given in column 1
(f)	No authorization possible for uses where the line is highlighted in grey, Use should be crossed out when the notifier no longer supports this use.

Remarks columns:	1	Numeration necessary to allow references
	2	Use official codes/nomenclatures of EU Member States
	3	For crops, the EU and Codex classifications (both) should be used; when relevant, the use situation should be described (e.g. fumigation of a structure)
	4	F: professional field use, Fn: non-professional field use, Fpn: professional and non-professional field use, G: professional greenhouse use, Gn: non-professional greenhouse use, Gpn: professional and non-professional greenhouse use, I: indoor application
	5	Scientific names and EPPO-Codes of target pests/diseases/ weeds or, when relevant, the common names of the pest groups (e.g. biting and sucking insects, soil born insects, foliar fungi, weeds) and the developmental stages of the pests and pest groups at the moment of application must be named.
	6	Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench Kind, e.g. overall, broadcast, aerial spraying, row, individual plant, between the plants - type of equipment used must be indicated.

7	Growth stage at first and last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
8	The maximum number of application possible under practical conditions of use must be provided.
9	Minimum interval (in days) between applications of the same product
10	For specific uses other specifications might be possible, e.g.: g/m ³ in case of fumigation of empty rooms. See also EPPO-Guideline PP 1/239 Dose expression for plant protection products.
11	The dimension (g, kg) must be clearly specified. (Maximum) dose of a.s. per treatment (usually g, kg or L product / ha).
12	If water volume range depends on application equipments (e.g. ULVA or LVA) it should be mentioned under "application: method/kind".
13	PHI - minimum pre-harvest interval
14	Remarks may include: Extent of use/economic importance/restrictions
15	Overall conclusions - explanation for the column 15 is below *
A B	Column 14 (Remarks) in uses 1, 2, 11 and 12: ^A LWA – Leaf Wall Area, ^B CH – Crown Height

*** Explanation for column 15 “Overall conclusions”**

A	Acceptable, Safe use
R	Further refinement and/or risk mitigation measures required
C	To be confirmed by cMS
N	No safe use