



P O L S K A N O R M A

ICS 01.040.13; 13.340.40

PN-EN ISO 374-1

Wprowadza

EN ISO 374-1:2016, IDT
ISO 374-1:2016, IDT

Zastępuje

PN-EN 374-1:2005

Rękawice chroniące przed niebezpiecznymi substancjami chemicznymi i mikroorganizmami

Część 1: Terminologia i wymagania dotyczące ryzyka chemicznego

Norma Europejska EN ISO 374-1:2016 *Protective gloves against dangerous chemicals and micro-organisms – Part 1: Terminology and performance requirements for chemical risks (ISO 374-1:2016)* ma status Polskiej Normy

© Copyright by PKN, Warszawa 2017

nr ref. PN-EN ISO 374-1:2017-01

Wszelkie prawa autorskie zastrzeżone. Żadna część niniejszej publikacji nie może być zwielokrotniana jakkolwiek techniką bez pisemnej zgody Prezesa Polskiego Komitetu Normalizacyjnego

ISBN 978-83-275-7253-0

PN-EN ISO 374-1:2017-01

Przedmowa krajowa

Niniejsza norma została zatwierdzona przez Prezesa PKN dnia 19 stycznia 2017 r.

Komitetem krajowym odpowiedzialnym za normę jest KT nr 21 ds. Środków Ochrony Indywidualnej Parowników.

Istnieje możliwość przetłumaczenia normy na język polski na wniosek zainteresowanych środowisk. Decyzję podejmuje właściwy Komitet Techniczny.

Niniejsza norma zastępuje PN-EN 374-1:2005.

Odpowiedniki krajowe norm i innych dokumentów powołanych w niniejszej normie można znaleźć w katalogu Polskich Norm. Oryginały norm i innych dokumentów powołanych są dostępne w PKN.

W sprawach merytorycznych dotyczących treści normy można zwracać się do właściwego Komitetu Technicznego lub właściwej Rady Sektorowej PKN, kontakt: www.pkn.pl

Nota uznaniowa

Norma Europejska EN ISO 374-1:2016 została uznana przez PKN za Polską Normę PN-EN ISO 374-1:2017-01.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 374-1

November 2016

ICS 01.040.13; 13.340.40

Supersedes EN 374-1:2003

English Version

Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks (ISO 374-1:2016)

Gants de protection contre les produits chimiques dangereux et les micro-organismes - Partie 1: Terminologie et exigences de performance pour les risques chimiques (ISO 374-1:2016)

Schutzhandschuhe gegen Chemikalien und Mikroorganismen - Teil 1: Terminologie und Leistungsanforderungen (ISO 374-1:2016)

This European Standard was approved by CEN on 24 September 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 374-1:2016 (E)

Contents	Page
European foreword.....	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EC Directive 89/686/EEC.....	4

European foreword

This document (EN ISO 374-1:2016) has been prepared by Technical Committee ISO/TC 94 “Personal safety — Protective clothing and equipment” in collaboration with Technical Committee CEN/TC 162 “Protective clothing including hand and arm protection and lifejackets” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2017, and conflicting national standards shall be withdrawn at the latest by May 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 374-1:2003.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 374-1:2016 has been approved by CEN as EN ISO 374-1:2016 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the Essential Requirements of EC Directive 89/686/EEC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 89/686/EEC.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Directive 89/686/EEC

Essential Requirements (ERs) of Directive 89/686/EEC		Clause(s)/ subclause(s) of this EN	Qualifying remarks/Notes
1.4	Information supplied by the manufacturer	Clause 7	
2.12.	PPE bearing one or more identification or recognition marks directly or indirectly relating to health and safety	Clause 6	
3.10 3.10.2	Protection against dangerous substances and infective agents Protection against cutaneous and ocular contact	5.2, 5.3, 5.4, 5.5	

WARNING — Other requirements and other EC Directives may be applicable to the product(s) falling within the scope of this standard.

INTERNATIONAL STANDARD

ISO
374-1

First edition
2016-10-15

Protective gloves against dangerous chemicals and micro-organisms —

Part 1: Terminology and performance requirements for chemical risks

*Gants de protection contre les produits chimiques dangereux et les
micro-organismes —*

*Partie 1: Terminologie et exigences de performance pour les risques
chimiques*



Reference number
ISO 374-1:2016(E)

© ISO 2016

ISO 374-1:2016(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Sampling	2
4.1 Sampling for permeation	2
4.2 Sampling for penetration testing	3
4.3 Sampling for degradation testing	3
5 Performance requirement	3
5.1 General requirements	3
5.2 Penetration	4
5.3 Degradation	4
5.4 Permeation	4
5.4.1 General	4
5.4.2 Type A	4
5.4.3 Type B	4
5.4.4 Type C	5
5.5 Requirements for gloves types A, B and C	5
6 Marking	5
6.1 Marking of Type A gloves	5
6.2 Marking of Type B gloves	6
6.3 Marking of Type C gloves	6
7 Information supplied by the manufacturer	7

ISO 374-1:2016(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

ISO 374-1 was prepared by the European Committee for Standardization (CEN) in collaboration with ISO Technical Committee ISO/TC 94, *Personal safety — Protective clothing and equipment*, Subcommittee SC 13 *Protective clothing* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 374 consists of the following parts, under the general title *Protective gloves against dangerous chemicals and micro-organisms*:

- *Part 1: Terminology and performance requirements for chemical risks*
- *Part 5: Terminology and performance requirements for micro-organism risks*

Protective gloves against dangerous chemicals and micro-organisms —

Part 1: Terminology and performance requirements for chemical risks

1 Scope

This part of ISO 374 specifies the requirements for protective gloves intended to protect the user against dangerous chemicals and defines terms to be used.

NOTE If other protection features have to be covered, e.g. mechanical risks, thermal risks, electrostatic dissipation etc., the appropriate specific performance standard is to be used in addition. Further information on protective gloves standards can be found in the EN 420.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 374-2:2014, *Protective gloves against dangerous chemicals and micro-organisms — Part 2: Determination of resistance to penetration*

EN 374-4:2013, *Protective gloves against chemicals and micro-organisms — Part 4: Determination of resistance to degradation by chemicals*

EN 420:2009, *Protective gloves — General requirements and test methods*

EN 16523-1:2015, *Determination of material resistance to permeation by chemicals — Part 1: Permeation by liquid chemical under conditions of continuous contact*

3 Terms and definitions

For the purposes of this document, the terms and definitions in EN 16523-1 and the following apply.

3.1

dangerous chemicals

chemical substance potentially hazardous for the health (carcinogenic, mutagenic, reprotoxic, toxic, harmful, corrosive, irritant, sensitizing), as defined in any national regulation

Note 1 to entry: The former European Directives 1999/45/EC and 67/548/EEC have been repealed by regulation 1272/2008 on classification, labeling and packaging of substances and mixtures.

3.2

protective glove material

any material or combination of materials used in a protective glove for the purpose of isolating the hands or hands and arms from direct contact with a dangerous chemical

3.3

protective gloves against dangerous chemical risks

protective gloves which form a protective barrier to *dangerous chemicals* ([3.1](#))

ISO 374-1:2016(E)

3.4 degradation

deleterious change in one or more properties of a *protective glove material* (3.2) due to contact with a chemical

Note 1 to entry: Indications of degradation may include flaking, swelling, disintegration, embrittlement, colour change, dimensional change, appearance, hardening, softening, etc.

3.5 penetration

movement of a chemical through materials, seams, pinholes, or other imperfections in a *protective glove material* (3.2) on a non-molecular level

3.6 permeation

process by which a chemical moves through a *protective glove material* (3.2) on a molecular level

Note 1 to entry: Permeation involves the following:

- absorption of molecules of the chemical into the contacted (outside) surface of a material;
- diffusion of the absorbed molecules in the material;
- desorption of the molecules from the opposite (inside) surface of the material.

3.7 test chemical

chemical substance, or mixture of chemical substances, potentially hazardous to the health that is used under laboratory test conditions to determine the breakthrough time


4 Sampling

4.1 Sampling for permeation

Each material specimen to be tested shall conform to the requirement in EN 16523-1:2015, Clause 7, so that the material can be sealed inside the test cell.

Three test specimens shall be taken from the palm area. If the glove is longer than or equal to 400 mm and if the cuff is claimed to protect against chemical risks, three additional test specimens shall be taken where the center is 80 mm from the end of the cuff (see [Figure 1](#)).

Dimensions in millimetres

**Key**

1 sample

Figure 1 — Additional sample location for gloves longer than 400 mm

Other parts of the glove can be tested on request. In the case of seams in the hand area, this area shall be tested. For multilayer chemical protective gloves, in the case of layers not bonded to the chemical protective layer, the layers not claiming any effect on the chemical protection can be removed, i.e. thermal insulation layer.

4.2 Sampling for penetration testing

The sampling for penetrations shall be done according to EN 374-2:2014, Clause 5.

4.3 Sampling for degradation testing

The sampling for degradation shall be done according to [4.1](#) and EN 374-4:2013, 5.1.

5 Performance requirement

SAFETY PRECAUTION — Persons using this part of ISO 374 shall be familiar with normal laboratory practice. This part of ISO 374 does not purport to address all the safety problems, if any, associated with its use. It is the responsibility of the user to apply established Health and Safety practices and to ensure compliance with European or national regulatory conditions.

5.1 General requirements

Protective gloves against dangerous chemicals shall comply with the requirements given in EN 420:2009, Clause 4, Clause 5 and Clause 7.

ISO 374-1:2016(E)**5.2 Penetration**

Protective gloves shall not leak when tested according to EN 374-2:2014, 7.2 and 7.3.

5.3 Degradation

The degradation (DR) shall be determined according to EN 374-4 for each chemical claimed in the marking and reported in the user instruction.

For the glove longer than 400 mm, the degradation corresponding to the lowest permeation results shall at least be reported.

5.4 Permeation**5.4.1 General**

For the glove longer than 400 mm, where the palm and cuff achieve different performance levels, the lowest performance level shall be claimed in the marking for each chemical.

All the results should be reported in the user instruction.

Each combination of protective glove/test chemical shall be classified according to [Table 1](#), using the results as given in EN 16523-1:2015, 8.5.1.1 or 8.5.1.3 for the normalized breakthrough time.

Table 1 — Permeation performance levels

Measured breakthrough time min	Permeation performance level
>10	1
>30	2
>60	3
>120	4
>240	5
>480	6

The test chemical(s) shall be taken from the list of test chemicals in [Table 2](#). Other test chemicals could be used depending on the application of the gloves.

The situation described in EN 16523-1:2015, 8.5.1.4 is considered a fail due to non-homogeneity of the samples.

According to their permeation performance, chemical protective gloves are classified into three types: type A, type B or type C.

5.4.2 Type A

The permeation performance shall be at least level 2 against a minimum of six test chemicals listed in [Table 2](#).

5.4.3 Type B

The permeation performance shall be at least level 2 against minimum of three test chemicals listed in [Table 2](#).

5.4.4 Type C

The permeation performance shall be at least level 1 against minimum of one test chemical listed in [Table 2](#).

Table 2 — List of test chemicals

CODE LETTER	CHEMICAL	CAS NUMBER	CLASS
A	Methanol	67-56-1	Primary alcohol
B	Acetone	67-64-1	Ketone
C	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon
E	Carbon disulphide	75-15-0	Sulphur containing organic compound
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
H	Tetrahydrofuran	109-99-9	Heterocyclic and ether compound
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated hydrocarbon
K	Sodium hydroxide 40 %	1310-73-2	Inorganic base
L	Sulphuric acid 96 %	7664-93-9	Inorganic mineral acid, oxidizing
M	Nitric acid 65 %	7697-37-2	Inorganic mineral acid, oxidizing
N	Acetic acid 99 %	64-19-7	Organic acid
O	Ammonium hydroxide 25 %	1336-21-6	Organic base
P	Hydrogen peroxide 30 %	7722-84-1	Peroxide
S	Hydrofluoric acid 40 %	7664-39-3	Inorganic mineral acid
T	Formaldehyde 37 %	50-00-0	Aldehyde

5.5 Requirements for gloves types A, B and C

The requirements are mentioned in [Table 3](#).

Table 3 — Requirements for different protection types of gloves

	5.1	5.2	5.4.2	5.4.3	5.4.4
Type A	X	X	X		
Type B	X	X		X	
Type C	X	X			X
X = required.					

6 Marking

Protective gloves against dangerous chemicals shall be marked in accordance with the requirements for protective gloves in EN 420 and with the following.

6.1 Marking of Type A gloves

For protective gloves complying with the type A requirements stated in [5.5](#), the pictograms in [Figure 2](#) shall be used with reference to this part of ISO 374.

ISO 374-1:2016(E)

The six tested chemicals shall be identified by their code letter which shall be marked under the pictogram as shown in [Figure 2](#). If other chemicals not present in the list have been tested, information about the performance levels shall be provided in the user instructions.

ISO 374-1:2016/Type A



UVWXYZ

Figure 2 — Marking of Type A gloves

6.2 Marking of Type B gloves

For protective gloves complying with the type B requirements stated in [5.5](#), the pictograms in [Figure 3](#) shall be used with reference to this part of ISO 374.

The three tested chemicals shall be identified by their code letter which shall be marked under the pictogram as shown in [Figure 3](#). If other chemicals not present in the list have been tested, information about the performance levels shall be provided in the user instructions.

ISO 374-1:2016/Type B



XYZ

Figure 3 — Marking of Type B gloves

6.3 Marking of Type C gloves

For protective gloves complying with the type C requirements stated in [5.5](#), the pictogram in [Figure 4](#) shall be used and the reference to this part of ISO 374.

The tested chemical shall be identified by its code letter which shall be marked under the pictogram as shown in [Figure 4](#). If other chemicals not present in the list have been tested, information about the performance levels shall be provided in the user instructions.

ISO 374-1:2016/Type C



Figure 4 — Marking of Type C gloves

7 Information supplied by the manufacturer

The information supplied by the manufacturer shall be in accordance with the requirements for information as defined in EN 420. It shall also include the results of [5.2](#), [5.3](#), [5.4](#), the list of all the chemicals to which the protective gloves have been tested and the performance levels obtained in permeation testing.

The following warnings shall be added in the user instructions:

“This information does not reflect the actual duration of protection in the workplace and the differentiation between mixtures and pure chemicals.”

“The chemical resistance has been assessed under laboratory conditions from samples taken from the palm only (except in cases where the glove is equal to or over 400 mm - where the cuff is tested also) and relates only to the chemical tested. It can be different if the chemical is used in a mixture.”

“It is recommended to check that the gloves are suitable for the intended use because the conditions at the workplace may differ from the type test depending on temperature, abrasion and degradation.”

“When used, protective gloves may provide less resistance to the dangerous chemical due to changes in physical properties. Movements, snagging, rubbing, degradation caused by the chemical contact etc. may reduce the actual use time significantly. For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves”

“Before usage, inspect the gloves for any defect or imperfections.”

For reusable gloves, the manufacturer shall provide the relevant instructions for decontamination.

If there is no information about decontamination, then it is intended for single use only and the following warning shall be added: “For single use only”.

ISO 374-1:2016(E)

ICS 01.040.13; 13.340.40

Price based on 7 pages

© ISO 2016 – All rights reserved